

SONIC LOG

Company	DARRAH OIL COMPANY, LLC.	
Well	McDONALD #5	
Field	SHAEFFER - ROTHGARN	
County	STAFFORD	State KANSAS
Location:	API #: 15-185-24113-0000 2013' FSL & 1056' FEL SW - NW - NE - SE	
Permanent Datum	GROUND LEVEL	Elevation 1873
Log Measured From	KELLY BUSHING 10' A.G.L.	
Drilling Measured From	KELLY BUSHING	
SEC 3	TWP 21S	RGE 13W
Other Services	CDL/CNL/PE DIL/MEL	
Elevation	K.B. 1883 D.F. 1881 G.L. 1873	
Date	8/20/22	
Run Number	TWO	
Depth Driller	3353	
Depth Logger	3354	
Bottom Logged Interval	3346	
Top Log Interval	200	
Casing Driller	8 5/8" @ 268'	
Casing Logger	268	
Bit Size	7 7/8"	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES N/A
Density / Viscosity	N/A	
pH / Fluid Loss	N/A	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	.320 @ 80F	
Rmf @ Meas. Temp	.240 @ 80F	
Rmc @ Meas. Temp	.384 @ 80F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	.233 @ 110F	
Time Circulation Stopped	4 HOURS	
Time Logger on Bottom	12:30 A.M.	
Maximum Recorded Temperature	110F	
Equipment Number	922339	
Location	HAYS, KANSAS	
Recorded By	JEFF LUEBBERS	
Witnessed By	ROGER MARTIN	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-185-24113-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
GREAT BEND, KS., 7S. ON HWY 281 TO COUNTY LINE, 1E., 1/2S., W. INTO






MAIN SECTION


Database File	6906pe.db
Dataset Pathname	pass9.2
Presentation Format	slt
Dataset Creation	Sat Aug 20 02:21:18 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			











850

900

950

1000






1050


1100


1150


1200

1250











1700
1750
1800
1850
1900







1950

2000

2050

2100






2150


2200

2250

2300

2350







2400

2450

2500

2550







2600

2650

2700

2750






2800


2850

2900

2950

3000







3050


3100

3150

3200







REPEAT SECTION

Database File 6906pe.db
 Dataset Pathname pass8.1
 Presentation Format slt
 Dataset Creation Sat Aug 20 01:32:30 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

