



SONIC LOG

Company JASPAR CO. INC.

Well ASHMORE #1

Field UNNAMED

County ROOKS State KANSAS

Location: API #: 15-163-24468-0000

1650' FSL & 1320' FWL
S/2 - N/2 - SW

SEC 11 TWP 6S RGE 20W

Permanent Datum GROUND LEVEL Elevation 2176
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL
DIL/MEL

Elevation
K.B. 2183
D.F. 2181
G.L. 2176

Date 11/19/22

Run Number TWO

Depth Driller 3645

Depth Logger 3638

Bottom Logged Interval 3630

Top Log Interval 200

Casing Driller 8 5/8" @ 221'

Casing Logger 221

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD CHLORIDES: 3,000 PPM

Density / Viscosity 9.1/50

pH / Fluid Loss 10.0/7.6

Source of Sample FLOWLINE

Rm @ Meas. Temp 2.20 @ 49F

Rmf @ Meas. Temp 1.65 @ 49F

Rmc @ Meas. Temp 2.64 @ 49F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .954 @ 113F

Time Circulation Stopped 4 HOURS

Time Logger on Bottom 6.45 P.M.

Maximum Recorded Temperature 113F

Equipment Number 8916

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By CAMERON BRIN

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:
STOCKTON, KS., 9N. ON HWY 183 TO (ROOKS/PHILLIPS COUNTY LINE) 13W. ON "RD. A" TO "RD. 5", 1 1/2S., E. INTO





MAIN SECTION

Database File	6724ddn.db
Dataset Pathname	pass8.4
Presentation Format	_slt
Dataset Creation	Sat Nov 19 19:31:15 2022
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			












600
650
700
750
800














1500


1550


1600


1650




















2800
2850
2900
2950
3000








3250


3300

3350

3400

3450





REPEAT SECTION



REPEAT SECTION

Database File 6724ddn.db
Dataset Pathname pass7.3
Presentation Format _slt
Dataset Creation Sat Nov 19 18:58:02 2022
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

