

SONIC
LOG



Company SANQUINE RESOURCES, LLC.
Well ALBERS #1-13
Field KLEWENO
County NESS State KANSAS

Location: API #: 15-135-26218-0000
463' FSL & 695' FWL
NW - SE - SW - SW
SEC 13 TWP 17S RGE 22W
Permanent Datum GROUND LEVEL Elevation 2278
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
MEL/DIL
Elevation
K.B. 2285
D.F. 2283
G.L. 2278

Date	7/18/24		
Run Number	TWO		
Depth Driller	4350		
Depth Logger	4350		
Bottom Logged Interval	4342		
Top Log Interval	200		
Casing Driller	8.625@229		
Casing Logger	229		
Bit Size	7.785		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 1.200 PPM	
Density / Viscosity	9.3/60		
pH / Fluid Loss	10.5/6.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.800@88F		
Rmf @ Meas. Temp	.600@88F		
Rmc @ Meas. Temp	.960@88F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.592119F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	11:45 A.M.		
Maximum Recorded Temperature	119F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	SEAN DEENIHAN	GARRETT GEIST	ROSS KARLIN

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-135-26218-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
BROWNELL, KS., E. ON HWY 4 TO "RD. DD", 5S. TO "RD. 210", 1/2W., N. INTO





MAIN SECTION


Database File 8646pe.db
 Dataset Pathname pass7.1S
 Presentation Format slt
 Dataset Creation Thu Jul 18 14:22:19 2024
 Charted by Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3)	10			




















































3700


3750


3800

3850












REPEAT SECTION

Database File 8646pe.db
 Dataset Pathname pass6.1R
 Presentation Format slt
 Dataset Creation Thu Jul 18 13:15:02 2024
 Charted by Depth in Feet scaled 1:240





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			