

SONIC LOG

Company	SATCHELL CREEK PET. LLC.	Company	SATCHELL CREEK PETROLEUM, LLC.	
Well	CATHEDRAL "A" 2	Well	CATHEDRAL "A" 2	
Field	CATHERINE EAST	Field	CATHERINE EAST	
County	ELLIS	County	ELLIS	State
State	KANSAS	State	KANSAS	
Location:	AP1 #: 15-051-27050-0000		Other Services CDL/CNL/PE DIL/MEL	
Permanent Datum	GROUND LEVEL	Elevation	2029	
Log Measured From	KELLY BUSHING 6' A.G.L.	Elevation	K.B. 2035 D.F. 2033 G.L. 2029	
Drilling Measured From	KELLY BUSHING			
SEC 11 TWP 13S RGE 17W				
Date	9/11/22			
Run Number	TWO			
Depth Driller	3655			
Depth Logger	3645			
Bottom Logged Interval	3637			
Top Log Interval	00			
Casing Driller	8 5/8" @ 214'			
Casing Logger	214			
Bit Size	7 7/8"			
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 12,000 PPM		
Density / Viscosity	9.6/49			
pH / Fluid Loss	10.0/8.8			
Source of Sample	FLOWLINE			
Rm @ Meas. Temp	.400 @ 82F			
Rmf @ Meas. Temp	.300 @ 82F			
Rmc @ Meas. Temp	.480 @ 82F			
Source of Rmf / Rmc	MEASUREMENT			
Rm @ BHT	.290 @ 113F			
Time Circulation Stopped	4.5 HOURS			
Time Logger on Bottom	5.15 P.M.			
Maximum Recorded Temperature	113F			
Equipment Number	922339			
Location	HAYS, KANSAS			
Recorded By	JEFF LUEBBERS			
Witnessed By	KEATON JONES	CHRIS LEIKER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-051-27050-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
VICTORIA, KS. & I-70, N. TO CATHERINE BLKTOP, 1W. TO "330TH", 1/2N., W. INTO





MAIN SECTION

Database File	6924pe.db
Dataset Pathname	pass6.8
Presentation Format	slt
Dataset Creation	Sun Sep 11 18:56:02 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				








400


450

500

550

600







650


700

750

800









1100

1150

1200

1250







1300

1350

1400

1450






1500


1550


1600

1650

1700








1950


2000

2050

2100

2150







2200



2250


2300

2350











2850

2900

2950

3000






3050


3100

3150

3200

3250







3300

3350

3400

3450





REPEAT SECTION

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

