

MICRO
LOG



Company JASPAR COMPANY
Well BJW #1
Field UNNAMED
County ROOKS
State KANSAS

Company JASPAR COMPANY
Well BJW #1
Field UNNAMED
County ROOKS State KANSAS

Location: API #: 15-163-24464-0000
436' FNL & 2646' FEL
SE - NE - NE - NW
SEC 10 TWP 6S RGE 20W
Permanent Datum GROUND LEVEL Elevation 2191
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL
DIL
Elevation
K.B. 2198
D.F. 2196
G.L. 2191

Date	9/21/22	
Run Number	TWO	
Depth Driller	3671	
Depth Logger	3672	
Bottom Logged Interval	3670	
Top Log Interval	3100	
Casing Driller	8 5/8"@220'	
Casing Logger	220	
Bit Size	7 7/8"	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 1,600 PPM
Density / Viscosity	9.4/56	
pH / Fluid Loss	10.0/8.8	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	1.80@73F	
Rmf @ Meas. Temp	1.35@73F	
Rmc @ Meas. Temp	2.16@73F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	1.16@113F	
Time Circulation Stopped	4 HOURS	
Time Logger on Bottom	1:15 P.M.	
Maximum Recorded Temperature	113F	
Equipment Number	922339	
Location	HAYS, KANSAS	
Recorded By	JEFF LUEBBERS	
Witnessed By	CAMERON BRIN	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-163-24464-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
STOCKTON, KS., 9N. ON HWY 183 TO PHILLIPS COUNTY LINE, 13W. ON "RD. A" TO "RD. 5", 3/4S.,
1/2 W. INTO





MAIN SECTION

Database File 7079ddn.db
 Dataset Pathname pass8.3
 Presentation Format micro
 Dataset Creation Wed Sep 21 13:59:40 2022
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		









REPEAT SECTION

Database File 7079ddn.db
 Dataset Pathname pass7.4
 Presentation Format micro
 Dataset Creation Wed Sep 21 14:02:50 2022
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		





Calibration Report

Database File 7079ddn.db
 Dataset Pathname pass8.3
 Dataset Creation Wed Sep 21 13:59:40 2022

MICRO Calibration Report

Serial Number:	070910	
Tool Model:	ProbeN	
Performed:	Sun Sep 18 23:21:58 2022	
Caliper Calibration:	Gain=4.848	Offset=0.000
References	Low Cal 8.000	High Cal 16.000
Readings	1.650	3.300
1.5" Calibration:	Gain=40.000	Offset=-1.500
References	Low Cal 0.000	High Cal 20.000
Readings	0.000	1.216
2" Calibration:	Gain=55.000	Offset=-2.300
References	Low Cal 0.000	High Cal 20.000
Readings	0.002	1.053

Gamma Ray Calibration Report

Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Wed Sep 21 13:36:03 2022	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.3000	GAPI/cps