

MICRO LOG



Company JASPAR COMPANY
 Well DUB FARMS #1
 Field EDGAR WEST
 County ROOKS
 State KANSAS

Company JASPAR COMPANY
 Well DUB FARMS #1
 Field EDGAR WEST
 County ROOKS State KANSAS

Location: API #: 15-163-24462-0000
 1068' FNL & 568' FEL
 NW - NE - SE - SE
 SEC 3 TWP 6S RGE 20W
 Permanent Datum GROUND LEVEL Elevation 2123
 Log Measured From KELLY BUSHING 7' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services CDL/CNL DIL
 Elevation K.B. 2130 D.F. 2128 G.L. 2123

Date	9/10/22
Run Number	TWO
Depth Driller	3594
Depth Logger	3594
Bottom Logged Interval	3592
Top Log Interval	3000
Casing Driller	8 5/8"@220'
Casing Logger	220
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.2/44
PH / Fluid Loss	10.5/8.4
Source of Sample	FLOWLINE
Rm @ Meas. Temp	2.40@71F
Rmf @ Meas. Temp	1.80@71F
Rmc @ Meas. Temp	2.88@71F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	1.52@112F
Time Circulation Stopped	3.5 HOURS
Time Logger on Bottom	5:00 P.M.
Maximum Recorded Temperature	112F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	CAMERON BRIN

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-163-24462-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
 DIRECTIONS
 STOCKTON, KS., 9N. ON HWY 183 TO PHILLIPS COUNTY LINE, 13W. ON "RD. A" TO "RD. 5", 3/4S.,
 W. INTO





MAIN SECTION

Database File 6923ddn.db
 Dataset Pathname pass7.1M
 Presentation Format micro
 Dataset Creation Sat Sep 10 17:55:48 2022
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		







0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40


			ABHV			
			0 (ft3)	10		




REPEAT SECTION

Database File 6923ddn.db
 Dataset Pathname pass6.2
 Presentation Format micro
 Dataset Creation Sat Sep 10 17:41:51 2022
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		





Calibration Report

Database File 6923ddn.db
 Dataset Pathname pass7.1M
 Dataset Creation Sat Sep 10 17:55:48 2022

MICRO Calibration Report

Serial Number: 070910
 Tool Model: ProbeN
 Performed: Thu Sep 08 19:13:47 2022

Caliper Calibration: Gain=4.762 Offset=0.286

References	Low Cal	High Cal
Readings	8.000	16.000
	1.620	3.300

1.5" Calibration: Gain=38.000 Offset=-2.000

References	Low Cal	High Cal
Readings	0.000	20.000
	0.000	1.216

2" Calibration: Gain=60.000 Offset=-3.000

References	Low Cal	High Cal
Readings	0.000	20.000
	0.002	1.053

Gamma Ray Calibration Report

Serial Number: 070559
 Tool Model: OPEN_GR
 Performed: Sat Aug 27 03:25:27 2022

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 0.3000 GAPI/cps