



SONIC LOG

Company VINCENT OIL CORPORATION
Well CLOSE #3-2
Field SODVILLE
County FORD State KANSAS

Location: API #: 15-057-21075-0000

843' FSL & 1617' FEL
SE - NE - SW - SE

SEC 2 TWP 29S RGE 23W

Permanent Datum GROUND LEVEL Elevation 2544
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/MEL

Elevation
K.B. 2556
D.F. 2554
G.L. 2544

Date 11/10/22

Run Number TWO

Depth Driller 5350

Depth Logger 5348

Bottom Logged Interval 5340

Top Log Interval 600

Casing Driller 8 5/8" @ 654'

Casing Logger 654

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD CHLORIDES: 5,700 PPM

Density / Viscosity 9.2/69

pH / Fluid Loss 11.0/6.8

Source of Sample FLOWLINE

Rm @ Meas. Temp .600 @ 77F

Rmf @ Meas. Temp .450 @ 77F

Rmc @ Meas. Temp .720 @ 77F

Source of Rmf / Rmc MEASURED

Rm @ BHT .361 @ 128F

Time Circulation Stopped 5 HOURS

Time Logger on Bottom 7:15 P.M.

Maximum Recorded Temperature 128F

Equipment Number 8916

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By TOM DUDGEON

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:
KINGSDOWN, KS., 1N. ON "RD. 125" TO "WILDFIRE RD.", 2 1/4W., N. INTO






MAIN SECTION


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			












1450



1500



1550


1600


1650















2550


2600


2650


2700


2750













3450


3500


3550



3600

















4550


4600

4650

4700









5000

5050

5100

5150





REPEAT SECTION

Database File	6720pe.db
Dataset Pathname	pass5.3
Presentation Format	_slt
Dataset Creation	Thu Nov 10 19:32:08 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

