



TRIPLE COMBO LOG

Company NEC OPERATING - KANSAS, LLC.

Well GAMBLE #2

Field GARFIELD

County PAWNEE State KANSAS

Location: API # : 15-145-21895-0000

Other Services

1426 FSL & 2145 FWL
SW - SE - NE - SW

SEC 8 TWP 23S RGE 17W

CDL/CNL/PE
DIL/MEL

Permanent Datum GROUND LEVEL Elevation 2094
Log Measured From KELLY BUSHING 13' A.G.L.
Drilling Measured From KELLY BUSHING

Elevation

K.B. 2107
D.F. 2105
G.L. 2094

Date 6/13/24

Run Number ONE

Depth Driller 4625

Depth Logger 4628

Bottom Logged Interval 4626

Top Log Interval 3000

Casing Driller 8.625 @ 800

Casing Logger 811

Bit Size 7.875

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.5/50

pH / Fluid Loss 10.0/9.6

Source of Sample FLOWLINE

Rm @ Meas. Temp .500 @ 80F

Rmf @ Meas. Temp .375 @ 80F

Rmc @ Meas. Temp .600 @ 80F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .328 @ 122F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom 9.45 A.M.

Maximum Recorded Temperature 122F

Equipment Number 3802

Location HAYS, KANSAS

Recorded By COLE ROBEN

Witnessed By KEATON JONES

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


FROM GARFIELD, KANSAS GO SOUTH ON 180TH AVE FOR ONE MILE, EAST INTO 3/4 MILE









MAIN SECTION


Database File	8785pe.db
Dataset Pathname	pass5L
Presentation Format	obrcompcol
Dataset Creation	Thu Jun 13 12:44:27 2024
Charted by	Depth in Feet scaled 1:240



0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10	
-200	RxoRt	100	0	40	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	20
6	DCAL (in)	16	MEL20						RHOC	
6	MELCAL (in)	16	(Ohm-m)						-0.25 (g/cc)	0.25
			0	40						
			TBHV (ft3)							
			ABHV (ft3)							





















0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
-200	RxoRt	100	0 40	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	20
6	DCAL (in)	16	MEL20					RHOC	
6	MELCAL (in)	16	(Ohm-m)					-0.25 (g/cc)	0.25
			0 40						
			TBHV (ft3)						
			ABHV (ft3)						