



MICRO LOG

Company		PALOMINO PETROLEUM, INC.	
Well		GOLDEN EYE #2	
Field		CHRIF EAST	
County		NESS	
State		KANSAS	
Location:		API # : 15-135-26188-0000 2015' FNL & 1397' FWL	
Permanent Datum		GROUND LEVEL Elevation 2382	
Log Measured From		KELLY BUSHING 11' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 14 TWP 19S RGE 25W		Elevation K.B. 2393 D.F. 2391 G.L. 2382	
Date	10/26/22		
Run Number	TWO		
Depth Driller	4530		
Depth Logger	4529		
Bottom Logged Interval	4527		
Top Log Interval	1600		
Casing Driller	8 5/8" @ 225		
Casing Logger	225		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5,100 PPM	
Density / Viscosity	9.4/59		
pH / Fluid Loss	11.0/7.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.800 @ 80F		
Rmf @ Meas. Temp	.600 @ 80F		
Rmc @ Meas. Temp	.960 @ 80F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.529 @ 121F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	3:00 P.M.		
Maximum Recorded Temperature	121F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBBEN		
Witnessed By	RYAN SEIB		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


NESS CITY, KANSAS 8.5 MILES WEST TO COUNTY ROAD 525, SOUTH 3.5 MILES TO 95 ROAD,
EAST 1/2 MILE, NORTH INTO




MAIN SECTION

Database File	7239ddn.db
Dataset Pathname	pass6M
Presentation Format	_micro
Dataset Creation	Wed Oct 26 16:58:06 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		







1800

1850

1900

1950






2000


2050

2100

2150

2200







2250

2300

2350

2400






2450


2500

2550

2600

2650







2700

2750

2800

2850







2900

2950

3000

3050






3100


3150

3200

3250

3300







3350

3400

3450

3500






3550


3600

3650

3700

3750







3800

3850

3900

3950







4000

4050

4100

4150






4200


4250

4300

4350

4400







REPEAT SECTION

Database File 7239ddn.db
 Dataset Pathname pass5R
 Presentation Format _micro
 Dataset Creation Wed Oct 26 17:02:07 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			





0	MINMK	20	TBHV	
			0 (ft3) 10	

Calibration Report				
Database File	7239ddn.db			
Dataset Pathname	pass6M			
Dataset Creation	Wed Oct 26 16:58:06 2022			

MICRO_USR Calibration Report				
------------------------------	--	--	--	--

Serial Number:	070911			
Tool Model:	ProbeL			
Performed:	Sun Oct 16 04:04:35 2022			

Caliper Calibration:	Gain=4.500	Offset=0.280
References	Low Cal 8.000	High Cal 14.000
Readings	1.451	3.049

1.5" Calibration:	Gain=65.000	Offset=-1.000
References	Low Cal 0.000	High Cal 20.000
Readings	0.004	0.843

2" Calibration:	Gain=60.000	Offset=0.000
References	Low Cal 0.000	High Cal 20.000
Readings	0.021	0.810

Microlog Calibration Report				
-----------------------------	--	--	--	--

Serial-Model:	070911-ProbeL			
Performed:	Sat May 14 04:48:25 2022			

	Readings			References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0002	0.4836	V	0.0000	10.0000	Ohm-m	20.6908	-0.0051
Inverse	0.0018	0.6297	V	0.0000	10.0000	Ohm-m	15.9263	-0.0282
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report				
------------------------------	--	--	--	--

Serial Number:	070558			
Tool Model:	Probe1			
Performed:	Sat Jul 02 05:55:58 2022			
Calibrator Value:	1.0	GAPI		
Background Reading:	0.0	cps		
Calibrator Reading:	1.0	cps		
Sensitivity:	0.2500	GAPI/cps		