





<<< Fold Here >>>
All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.
Comments
THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395 DIRECTIONS: HILL CITY, KS., 13N. TO "RD. DD", 6E. TO "T", 1N., 1 1/2E., S, INTO @CEMETARY





Database File	7444ddn.db
Dataset Pathname	pass3.1C
Presentation Format	_ritchie
Dataset Creation	Fri Jan 20 09:42:05 2023
Charted by	Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	MEL15	30	CN Porosity (pu)	-10	0.2	Deep Resistivity (Ohm-m)	200
-100	SP (mV)	100	(Ohm-m)	30	Density Porosity (pu)	-10	0.2	Medium Resistivity (Ohm-m)	200
-250	RxoRt	50	0	40	CORRECTION		0.2	Shallow Resistivity (Ohm-m)	200
6	DCAL (in)	16	MEL20		-0.25 (g/cc)	0.25			
6	MELCAL (in)	16	(Ohm-m)						
150	GR (GAPI)	300	0	40					









0	Gamma Ray (GAPI)	150	MEL15	30	CN Porosity (pu)	-10	0.2	Deep Resistivity (Ohm-m)	200
-100	SP (mV)	100	(Ohm-m)	30	Density Porosity (pu)	-10	0.2	Medium Resistivity (Ohm-m)	200
-250	RxoRt	50	0	40	CORRECTION		0.2	Shallow Resistivity (Ohm-m)	200
6	DCAL (in)	16	MEL20	-0.25 (g/cc) 0.25					
6	MELCAL (in)	16	(Ohm-m)						
150	GR (GAPI)	300	0	40					