5.5" BOREHOLE VOLUME LOG

Company K & N PETROLEUM, INC.
Well SOEKEN #21-2 OWWO
Field KRAFT-PRUSA
County BARTON State KANSAS

Location: API # : 15-009-24538-0001
1653' FNL & 937' FEL
SE - NW - SE - NE
SEC 21 TWP 17S RGE 11W

Other Services
CDL/CNL
DIL/MEL

Permanent Datum GROUND LEVEL Elevation 1831
Log Measured From KELLY BUSHING 11' A.G.L
Drilling Measured From KELLY BUSHING

Elevation
K.B. 1842
D.F. 1840
G.L. 1831

Date	3/6/23		
Run Number	ONE		
Depth Driller	3800		
Depth Logger	3799		
Bottom Logged Interval	3775		
Top Log Interval	2800		
Casing Driller	8 5/8" @ 390		
Casing Logger	390		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4,500 PPM	
Density / Viscosity	9.7/75		
pH / Fluid Loss	8.5/9.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.750 @ 75F		
Rmf @ Meas. Temp	.563 @ 75F		
Rmc @ Meas. Temp	.900 @ 75F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	1.14 @ 114F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	2:00 P.M.		
Maximum Recorded Temperature	114F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBBEN		
Witnessed By	JIM MUSGROVE	JOSHUA AUSTIN	

Company K & N PETROLEUM, INC.
Well SOEKEN #21-2 OWWO
Field KRAFT-PRUSA
County BARTON
State KANSAS

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:


FROM CLAFLIN, KANSAS GO NORTH ON NE 130 AVENUE FOR 2 3/4 MILES, WEST INTO


MAIN SECTION


Database File	7654ddn.db
Dataset Pathname	pass3L
Presentation Format	obrbore
Dataset Creation	Mon Mar 06 16:51:41 2023
Charted by	Depth in Feet scaled 1:240




2950
289.32
152.36
3000
271.36
142.656
3050
253.45
132.997
3100
235.42
123.218
3150
218.02
114.058


3200
3250
3300
3350
200.24
104.533
182.26
94.7988
165.03
85.8241
148.59
77.6294


3400
131.93
69.2231
3450
115.08
60.6221
3500
98.54
52.33
3550
81.97
44.0037


3600
3650
3700
3750
3800
64.62
45.13
27.12
9.87
0.00
34.9109
23.6656
13.9034
4.904
0
0 GR (GAPI) 150
10 (in) 20
16 MELCAL (in) 6
6 DCAL (in) 16
BVTX
10 (ft3) 0
AVTX
0 (ft3) 10

10	(in)	20

10 (ft3)	0 (ft3) 10
TBHV (ft3)	ABHV (ft3)