COMPENSATED DENSITY/NEUTRON LOG

Company DOWNING - NELSON OIL COMPANY, INC.

Well SANDER FARMS #1-10

Field UNNAMED

County ELLIS State KANSAS

Location: API # : 15-051-27129-0000

1515' FNL & 539' FEL

NW - NE - SE - NE

SEC 10 TWP 14S RGE 16W

Other Services
DIL/MEL

Elevation

Permanent Datum GROUND LEVEL Elevation 1923

Log Measured From KELLY BUSHING 8' A.G.L.

Drilling Measured From KELLY BUSHING

K.B. 1931
D.F. 1929
G.L. 1923

Company DOWNING - NELSON OIL CO., INC.
Well SANDER FARMS #1-10
Field UNNAMED
County ELLIS
State KANSAS

Date	8/8/25		
Run Number	ONE		
Depth Driller	3515		
Depth Logger	3516		
Bottom Logged Interval	3492		
Top Log Interval	2800		
Casing Driller	8.625@221		
Casing Logger	221		
Bit Size	7.785		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5,000 PPM	
Density / Viscosity	9.0/55		
pH / Fluid Loss	10.5/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.950@78F		
Rmf @ Meas. Temp	.713@78F		
Rmc @ Meas. Temp	1.14@78F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.662@112F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	3:15 A.M.		
Maximum Recorded Temperature	112F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	MARC DOWNING		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

15-051-27129-0000

THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395


DIRECTIONS


WALKER, KS. & I-70, 3/4S., W. INTO


MAIN SECTION


Database File	9031ddn.db
Dataset Pathname	pass3.1M
Presentation Format	_den_neu
Dataset Creation	Fri Aug 08 04:23:17 2025
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	DCAL (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	-0.25	CORRECTION (g/cc)	0.25
			0 (ft3) 10	0	LTEN (lb)	5000




3000
3050
3100
3150


3200
3250
3300
3350
3400





0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)		-10
6	DCAL (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)		-10
0	MINMK	20	TBHV			-0.25 CORRECTION (g/cc)	0.25
			0 (ft3) 10			0 LTEN (lb)	5000

REPEAT SECTION

Database File	9031ddn.db
Dataset Pathname	pass2.1R
Presentation Format	_den_neu
Dataset Creation	Fri Aug 08 03:33:31 2025
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)		-10
6	DCAL (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)		-10
0	MINMK	20	TBHV			-0.25 CORRECTION (g/cc)	0.25
			0 (ft3) 10			0 LTEN (lb)	5000







0	GAMMA RAY (GAPI) 150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	DCAL (in) 16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)	-10
0	MINMK 20	TBHV		-0.25 CORRECTION (g/cc)	0.25
		0 (ft3) 10		0 LTEN (lb)	5000

DOLOMITE MATRIX

Database File	9031ddn.db
Dataset Pathname	pass2.1D
Presentation Format	_den_neu
Dataset Creation	Fri Aug 08 03:35:25 2025
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI) 150	ABHV		30	COMPENSATED DENSITY (pu) -10
6	DCAL (in) 16	10 (ft3) 0		30	COMPENSATED NEUTRON (pu) -10
0	MINMK 20	TBHV			-0.25 CORRECTION (g/cc) 0.25
		0 (ft3) 10			0 LTEN (lb) 5000





0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)		-10
6	DCAL (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)		-10
0	MINMK	20	TBHV			-0.25 CORRECTION (g/cc)	0.25
			0 (ft3) 10			0 LTEN (lb)	5000

Calibration Report

Database File 9031ddn.db
Dataset Pathname pass3.1M
Dataset Creation Fri Aug 08 04:23:17 2025

Dual Induction Calibration Report

Serial-Model: DIL7-GEAR
Surface Cal Performed: Fri Aug 08 03:06:59 2025
Downhole Cal Performed: Tue Apr 17 15:38:44 2007
After Survey Verification Performed: Tue Apr 17 15:38:40 2007

Surface Calibration

	Readings			References			Results	
Loop:	Air	Loop		Air	Loop		m	b
Deep	0.019	0.660	V	0.000	400.000	mmho/m	660.000	16.000
Medium	-0.006	0.655	V	0.000	462.500	mmho/m	700.000	-22.000
Internal:	Zero	Cal		Zero	Cal		m	b
Deep	0.010	0.665	V	0.000	400.000	mmho/m	610.018	-5.925
Medium	0.009	0.655	V	0.000	400.000	mmho/m	618.983	-5.564

Downhole Calibration

	Readings			References			Results	
Internal:	Zero	Cal		Zero	Cal		m	b
Deep	3.372	400.834	mmho/m	0.556	401.206	mmho/m	1.008	-2.843
Medium	13.557	467.446	mmho/m	9.465	462.114	mmho/m	0.997	-4.055
Shallow	2.521	0.019	V	500.000	2.000	Ohm-m	200.000	0.500

After Survey Verification

	Readings			Targets			Results	
Internal:	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	3.372	400.834	mmho/m	1.008	-2.843
Medium	0.000	0.000	mmho/m	13.557	467.446	mmho/m	0.997	-4.055
Shallow	2.500	0.000	Ohm-m	500.000	2.000	Ohm-m	-300.000	0.000

Litho Density Calibration Report

Serial: 004 Model: PRB

Master Calibration

Performed Tue Aug 02 11:29:35 2022

	Background	Magnesium	Aluminum	Aluminum+Fe	
Window 1	1154.2	10019.5	3137.9	2795.6	cps
Window 2	1054.4	8597.6	2733.4	2469.5	cps
Window 3	902.3	5241.4	1832.1	1719.3	cps

Window 4	251.9	261.1	255.8	252.9	cps
Long Space	0.0	7543.2	1679.0	1415.0	cps
Short Space	4.4	2049.3	1321.7	1116.8	cps
Rho		1.7100	2.5900	0.0000	g/cc
Pe		2.0000	2.7500	5.7900	

Rib Angle	: 43.7	Rib Slope	: 0.957	Density/Spine Ratio	: 0.562
Spine Angle	: 73.7	Spine Slope	: 3.426	Spine Intercept	: -17.2

Before Survey Verification — Performed Wed Dec 31 18:00:00 1969

Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	

After Survey Verification — Performed Wed Dec 31 18:00:00 1969

Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	

Compensated Neutron Calibration Report

Serial Number: 070808PMC
Tool Model: NABORS

PRE-SURVEY VERIFICATION

Detector	Readings	Measured	Target
Short Space	cps		
Long Space	cps	pu	pu

POST-SURVEY VERIFICATION

Detector	Readings	Measured	Target
Short Space	cps		
Long Space	cps	pu	pu

Gamma Ray Calibration Report

Serial Number: 070559
Tool Model: OPEN_GR
Performed: Sat Jul 26 19:26:20 2025

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps

Calibrator Reading:	1.0	cps
Sensitivity:	0.3000	GAPI/cps