



SONIC LOG

Company JASPAR COMPANY, INC.		Company JASPAR COMPANY, INC.	
Well BJW #4		Well BJW #4	
Field EDGAR SOUTHWEST		Field EDGAR SOUTHWEST	
County ROOKS		County ROOKS	
State KANSAS		State KANSAS	
Location: API #: 15-163-24485-0000		Other Services	
SEC 10 TWP 6S RGE 20W		CDL/CNL DIL/MEL	
Permanent Datum SW - SE - NE - NE		Elevation	
Log Measured From GROUND LEVEL Elevation 2159		K.B. 2166	
Drilling Measured From KELLY BUSHING 7' A.G.L.		D.F. 2164	
		G.L. 2159	
Date 7/17/23	Run Number TWO		
Depth Driller	3650		
Depth Logger	3644		
Bottom Logged Interval	3636		
Top Log Interval	200		
Casing Driller	8 5/8 @ 218		
Casing Logger	218		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 900 PPM	
Density / Viscosity	9.2/58		
pH / Fluid Loss	11/7.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.40 @ 74F		
Rmt @ Meas. Temp	1.05 @ 74F		
Rmc @ Meas. Temp	1.68 @ 74F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.917 @ 113F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	10:30 P.M.		
Maximum Recorded Temperature	113F		
Equipment Number	8916		
Location	HAYS, KANSAS		
Recorded By	COLE ROBBEN		
Witnessed By	CAMERON BRIN		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


NINE MILES NORTH OF STOCKTON, KANSAS TO 'A' ROAD, WEST THIRTEEN MILES ON 'A' ROAD TO 5 ROAD, SOUTH ON 5 ROAD ONE MILE AND A HALF, WEST INTO






MAIN SECTION


Database File	7704ddn.db
Dataset Pathname	pass6S
Presentation Format	_slt
Dataset Creation	Mon Jul 17 23:32:31 2023
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				











850


900

950

1000









1300


1350

1400

1450








1700


1750


1800


1850

1900











2400

2450

2500

2550







2600

2650

2700

2750






2800


2850


2900

2950

3000








3250


3300


3350

3400

3450







REPEAT SECTION

Database File 7704ddn.db
Dataset Pathname pass5.1
Presentation Format _slt
Dataset Creation Mon Jul 17 23:02:29 2023
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

