

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
GR	40.23		GR-M&W (105)	3.00	3.50	50.00
CNLSC	37.13		CNT-M&W (210)	5.00	3.50	100.00
CNSSC	36.38					
			MWLith-STEP LITHO Short (701-01)	8.40	5.00	250.00
LCAL	28.21		ML-PSI STKBL ML (402)	7.58	4.00	65.00
LLW8N	28.21					
LLW7N	28.21					
LLW6N	28.21					
LLW5N	28.21					
LLW4N	28.21					
LLW3N	28.21					
LLW2N	28.21					
LLW1N	28.21					
LSLOCK	27.96					
LLLOCK	27.96					
PELTMPR	27.96					
LSHVNG	27.96					
LLHVNG	27.96					
LSW8N	27.71					
LSW7N	27.71					
LSW6N	27.71					
LSW5N	27.71					
LSW4N	27.71					
LSW3N	27.71					
LSW2N	27.71					
LSW1N	27.71					
MCAL	19.58		DIL-M&W (505 HT)	18.25	3.50	220.00
MI	19.58					
MN	19.58					
RLL3F	15.50					
RLL3	15.50					
CILD	8.33					
CILM	4.50					
SP	0.20					
Dataset: murfin_hester 4-7.db: field/well/stkml/pass3.5 Total length: 42.23 ft Total weight: 685.00 lb O.D.: 5.00 in						





DETAIL SECTION

MAIN PASS

Database File murfin_hester 4-7.db
Dataset Pathname stkml/pass3.1
Presentation Format bhv5half
Dataset Creation Sat Aug 26 03:32:50 2023
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	16	LCAL (in)	6	6	LCAL (in)	16
6	LCAL (in)	16	16	BIT SIZE	6	6	BIT SIZE	16
			0	BVTX (ft3)	15	15	AVTX (ft3)	0





500

550

600

650

▲

▲

▲

▲

▲

▲

▲


▲

1609

1591

1573

1555



841

830

820


810

▲

▲

▲

▲



700

1536

750


1518


800


1500

850

1482







1150

1372

1200



1352

1250

1331

1300

1311





710

698

686

674





1600

1204

1650


1188

1700

1172

1750

1155




617

609

601

592



1800

1138

584

1850

1122

576

1900


1105


567

1950

1089

559





2250

2300

2350


2400

985

969

952

936




505

497

489

480



2450

919

2500

903

2550

886

2600

869

2650

852




472

464

455

447

438



2700

835

2750


818

2800

801

2850

785




429

420

412

404



2900

767

2950


750

3000

734

3050

717




394

386

377

369



3100

700

3150

684

3200


667

3250

650

3300

633




360

352

344

335

326



3350

616

3400

599

3450

583

3500


566

317

309

301

292



3550

550

284

3600

533

276

3650

516

267

3700


499

259

3750

482

250



3800

465

3850

448

3900

431

3950


414

241

232

223

215



4000

397

4050

380

4100

363

4150


345

206

197

188

178



4200

328

4250

310

4300


293

4350

275

4400

257




169

160

151

142

132



4450

4500

4550

4600

239

222

204

187




122

113

104

95



4650

170

4700

153

4750

136

4800

119

4850

102


86

77

68

60

51



4900

85

4950


68

5000

52

5050

35




42

34

25

17



Company	Murfin Drilling Company, Inc.
Well	Hester #4-7
Field	Sarah Ann
County	Cheyenne
State	Kansas