



FRAC - FINDER LOG

Company INDIAN OIL COMPANY, INC.
 Well WARREN #6
 Field MEAIRS
 County BARBER State KANSAS

Location: API #: 15-007-24475-0000
 1700' FNL & 1650' FEL
 S/2 - NE - SW - NE
 Permanent Datum GROUND LEVEL Elevation 1623
 Log Measured From KELLY BUSHING 12' A.G.L.
 Drilling Measured From KELLY BUSHING
 SEC 35 TWP 30S RGE 12W
 Other Services
 CDL/CNL/PE
 DIL/MEL/SON
 Elevation
 K.B. 1635
 D.F. 1633
 G.L. 1624

Date	6/27/23
Run Number	TWO
Depth Driller	4733
Depth Logger	4734
Bottom Logged Interval	4726
Top Log Interval	2500
Casing Driller	8 5/8" @ 225'
Casing Logger	225
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.4/54
PH / Fluid Loss	9.0/11.2
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.580 @ 98F
Rmf @ Meas. Temp	.435 @ 98F
Rmc @ Meas. Temp	.696 @ 98F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.462 @ 123F
Time Circulation Stopped	5 HOURS
Time Logger on Bottom	8:30 A.M.
Maximum Recorded Temperature	123F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	AARON YOUNG
	ANTHONY FARRAR

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-007-24475-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
 DIRECTIONS
 MEDICINE LODGE, KS., N. ON HWY 281 TO "AMBER RD., E. TO "RESORT RD.", BACK SOUTH TO
 (ARROWHEAD LAKE ENTRANCE) AFTER 200' TAKE LEFT FORK AND FOLLOW TRAIL





MAIN SECTION


Database File 7899pe.db
 Dataset Pathname pass6.2
 Presentation Format frac
 Dataset Creation Tue Jun 27 10:05:32 2023
 Charted by Depth in Feet scaled 1:240


0	GR (GAPI)	150	ABHV	200	WWF1 (usec)	1200
6	BOREID (in)	16	10 (ft3)	0		
6	CALIPER (in)	16	TBHV			
			0 (ft3)	10		
















3600


3650


3700



3750















4700



0	GR (GAPI)	150	ABHV	200	WWF1 (usec)	1200
6	BOREID (in)	16	10 (ft3)	0		
6	CALIPER (in)	16	TBHV			
			0 (ft3)	10		