



# MICRO LOG

Company C&G DRILLING, INC.

Well BUSENITZ B #2

Field PLUM GROVE NW

County BUTLER State KANSAS

Location: API #: 15-015-24145-0000

2310' FSL & 1750' FEL

Other Services  
CDL/CNL  
DIL

SEC 14 TWP 24S RGE 4E

Elevation

K.B. 1410

D.F. 1408

G.L. 1401

Permanent Datum GROUND LEVEL Elevation 1401  
Log Measured From KELLY BUSHING 9' A.G.L.  
Drilling Measured From KELLY BUSHING

06/04/21

TWO

2580

2575

2573

1700

8 5/8" @ 211

211

7 7/8"

CHEMICAL MUD

9.2/29

9.0/6.4

FLOWLINE

2.1 @ 70F

1.58 @ 70F

2.52 @ 70F

MEASURED

1.42 @ 103F

2 HOURS

////

103F

1523

HAYS, KANSAS

GUS PFANENSTIEL

BRANDON WOLFE

## Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS: POTWIN NORTH ON NW RIVER VALLEY RD 2 MILES,  
3 MILES EAST ON NW 100, 1/2 SOUTH, WEST INTO AT TANK BATTERY






# MAIN PASS


|                     |                            |
|---------------------|----------------------------|
| Database File       | 5439ddn.db                 |
| Dataset Pathname    | pass5.1                    |
| Presentation Format | _micro                     |
| Dataset Creation    | Fri Jun 04 09:34:38 2021   |
| Charted by          | Depth in Feet scaled 1:240 |


|   |                  |     |          |    |                |    |
|---|------------------|-----|----------|----|----------------|----|
| 0 | GAMMA RAY (GAPI) | 150 | ABHV     | 0  | MEL1.5 (Ohm-m) | 40 |
| 6 | CALIPER (in)     | 16  | 10 (ft3) | 0  | MEL2.0 (Ohm-m) | 40 |
| 0 | MINMK            | 20  | TBHV     |    |                |    |
|   |                  |     | 0 (ft3)  | 10 |                |    |














# REPEAT SECTION

Database File 5439ddn.db  
 Dataset Pathname pass4RP  
 Presentation Format \_micro  
 Dataset Creation Fri Jun 04 09:24:53 2021  
 Charted by Depth in Feet scaled 1:240





|                          |  |                          |  |                    |  |
|--------------------------|--|--------------------------|--|--------------------|--|
| Database File            |  | 5439ddn.db               |  | Calibration Report |  |
| Dataset Pathname         |  | pass4RP                  |  |                    |  |
| Dataset Creation         |  | Fri Jun 04 09:24:53 2021 |  |                    |  |
| MICRO Calibration Report |  |                          |  |                    |  |
| Serial Number:           |  | Micro1                   |  |                    |  |
| Tool Model:              |  | ProbeL                   |  |                    |  |
| Performed:               |  | Sat Apr 10 18:53:52 2021 |  |                    |  |
| Caliper Calibration:     |  | Gain=2.815               |  | Offset=4.302       |  |
| References               |  | Low Cal                  |  | High Cal           |  |
| Readings                 |  | 8.500                    |  | 13.500             |  |
|                          |  | 0.887                    |  | 2.663              |  |
| 1.5" Calibration:        |  | Gain=31.134              |  | Offset=-1.000      |  |
| References               |  | Low Cal                  |  | High Cal           |  |
| Readings                 |  | 0.000                    |  | 20.000             |  |
|                          |  | 0.004                    |  | 0.832              |  |
| 2" Calibration:          |  | Gain=38.000              |  | Offset=-0.800      |  |
|                          |  | Low Cal                  |  | High Cal           |  |

|                              |                          |          |
|------------------------------|--------------------------|----------|
| References                   | 0.000                    | 20.000   |
| Readings                     | 0.022                    | 0.793    |
| Gamma Ray Calibration Report |                          |          |
| Serial Number:               | GR5                      |          |
| Tool Model:                  | OPEN                     |          |
| Performed:                   | Thu Jul 30 23:16:16 2020 |          |
| Calibrator Value:            | 1.0                      | GAPI     |
| Background Reading:          | 0.0                      | cps      |
| Calibrator Reading:          | 1.0                      | cps      |
| Sensitivity:                 | 1.0500                   | GAPI/cps |