



SONIC LOG

Company	AGV CORPORATION	Company	AGV CORPORATION
Well	BARBARA #1	Well	BARBARA #1
Field	BENFER	Field	BENFER
County	BUTLER	County	BUTLER
State	KANSAS	State	KANSAS
Location:	API # : 15-015-24153-0000 2310' FSL & 2110' FEL E/2 - NW - NW - SE	Other Services CDL/CNL DIL/MEL	
Permanent Datum	GROUND LEVEL	Elevation	1342
Log Measured From	KELLY BUSHING		
Drilling Measured From	KELLY BUSHING		
Date	9/21/21		
Run Number	TWO		
Depth Driller	3340		
Depth Logger	3338		
Bottom Logged Interval	3330		
Top Log Interval	00		
Casing Driller	8 5/8"@218"		
Casing Logger	220		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES	N/A
Density / Viscosity	9.5/42		
pH / Fluid Loss	N/A		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.50@85F		
Rmf @ Meas. Temp	1.13@85F		
Rmc @ Meas. Temp	1.80@85F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	1.16@110F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	11:45 A.M.		
Maximum Recorded Temperature	110F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KENT ROBERTS		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-015-24153-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
BENTON, KS., & HWY 254 EXIT, N. 100 YARDS TO FRONTAGE RD THAT GOES WEST 1/2 MILE,
THEN NORTH 1/8, W. INTO



MAIN SECTION

Database File	5660ddn.db
Dataset Pathname	pass6.2M
Presentation Format	slt
Dataset Creation	Tue Sep 21 13:43:12 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			




8 5/8" SURFACE CASING @220'



200



250


300

350










850


900

950

1000

1050







1100

1150

1200

1250







1300

1350

1400

1450






1500


1550

1600

1650

1700







1750


1800


1850


1900












2600


2650


2700


2750

2800









REPEAT SECTION

Database File 5660ddn.db
 Dataset Pathname pass5.2R
 Presentation Format slt
 Dataset Creation Tue Sep 21 12:47:17 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

