



MIDWEST SURVEYS
LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

Company **N & W Enterprises, Inc**

Well **Forester No. - 16**

Field **Walnut Southeast**

County **Crawford** State **Kansas**

Location **3135' FSL & 4125' FEL**

NE-SE-SW-NW

Sec. **34** Twp. **28s** Rge. **22e**

Permanent Datum **GL** Elevation **951'**

Log Measured From **GL**

Drilling Measured From **GL**

Date **10-01-2016**

Run Number **One**

Depth Driller **422.0**

Depth Logger **417.0**

Bottom Logged Interval **416.0**

Top Log Interval **20.0**

Fluid Level **Full**

Type Fluid **Water**

Density / Viscosity **NA**

Salinity - PPM Cl **NA**

Max Recorded Temp **NA**

Estimated Cement Top **0.0**

Equipment No. **107**

Recorded By **Gary Windisch**

Witnessed By **Tammy Norris**

BORE-HOLE RECORD				CASING RECORD			
Run	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	9.875"	0.0	20.0	8.00"	14.0#	0.0	20.0
Two	5.875"	20.0	422.0	2.875"	6.5#	0.0	421.0

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
McGown Drilling, Inc.

Database File: forrester 16.db
Dataset Pathname: pass1
Presentation Format: gr-n-ccl
Dataset Creation: Tue Oct 01 13:08:23 2019 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray (cps)	150
150	Gamma Ray (cps)	300

-1 CCL 1

10

Neutron (cps)

2100



10-01-2019
Perforated Interval
375.0 - 385.0 41 Perfs.
2" DML RTG 90° Phase

0	Gamma Ray (cps)	150
150	Gamma Ray (cps)	300

-1 CCL 1

10

Neutron (cps)

2100