



WIRELINE SERVICES, INC.
CHANUTE, KANSAS

**GAMMA RAY
NEUTRON
COMPLETION LOG**

Company	LAYMON OIL II, LLC	Company	LAYMON OIL II, LLC
Well	BENTEMAN #11-20	Well	BENTEMAN #11-20
Field	OWL CREEK	Field	OWL CREEK
County	WOODSON	County	WOODSON
State	KS	State	KS
Date	12-15-2020	Location:	AP# : 15-207-29780-00-00 2478 FSL 4957' FEL N2-NW-NNW-SW
Run Number	11M	Permanent Datum	SEC 9 TWP 25 R 16
Depth Driller	1011.8	Log Measured From	TOP OF CASING
Top Log Interval	0	Drilling Measured From	TOP OF CASING
Bottom Logged Interval	1011.8	Elevation	1011.8
Fluid Level	FULL	K/B	GL 1011.8
Type Fluid	WATER	Other Services	
Production Change	2.78' @ TD		
Max. Recorded Temp.			
Estimated Cement Top	SURF		
Calculated Cement Top			
Amount 3 Type Cement			
Amount 3 Type Admix			
Drilling Contractor			
Equipment Number	109		
Location			
Recorded By	THAD TRAHAN		
Witnessed By	LUKE CALEMORE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
GR	7.59		GR-TITAN_169 (TIT169_001) Titan 1 11/16" Gamma Ray	4.75	1.69	20.00
CCL	5.05		CCL-TITAN_169 (TIT169) Titan 1 11/16" Logging CCL	1.83	1.69	7.50
NEU	0.63		NEU-TITAN (TIT801) TITAN 1 11/16" Neutron	4.33	1.69	25.00

Dataset: benteman #11-20 db: field/well/run/1/pass1
 Total Length: 10.92 ft
 Total Weight: 52.50 lb
 O.D. 1.69 in

Database File: benteman #11-20 db
 Dataset Pathname: pass1
 Presentation Format: gr-n-ccl
 Dataset Creation: Tue Dec 15 10:29:18 2020 by Log Std Casedhole 09061
 Charted by: Depth in Feet scaled 1.240

150	gr	300	3	CCLJ.05	200	NEU (cps)	2000
0	GR	150					



150	gr	300	3	CCLJ.05	200	NEU (cps)	2000
0	GR	150					