

MICRO LOG



Company VINCENT OIL CORPORATION
 Well C & D HERRMANN #1-6
 Field UNNAMED
 County FORD State KANSAS

Location: API #: 15-057-21092-0000
 1777' FSL & 754' FEL
 NE - SW - NE - SE
 SEC 6 TWP 29S RGE 23W
 Permanent Datum GROUND LEVEL Elevation 2482
 Log Measured From KELLY BUSHING 12' A.G.L.
 Drilling Measured From KELLY BUSHING
 Other Services CDL/CNL/PE DIL/SONIC
 Elevation K.B. 2494 D.F. 2492 G.L. 2482

Company	VINCENT OIL CORPORATION
Well	C & D HERRMANN #1-6
Field	UNNAMED
County	FORD
State	KANSAS
Date	8/4/23
Run Number	TWO
Depth Driller	5285
Depth Logger	5286
Bottom Logged Interval	5270
Top Log Interval	4100
Casing Driller	8 5/8"@608'
Casing Logger	606
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.2/51
pH / Fluid Loss	11.0/9.2
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.400@85F
Rmf @ Meas. Temp	.300@85F
Rmc @ Meas. Temp	.480@85F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.266@128F
Time Circulation Stopped	5 HOURS
Time Logger on Bottom	4:00 P.M.
Maximum Recorded Temperature	128F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	BRAD RINE

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-057-21092-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
 DIRECTIONS
 KINGSDOWN, KS., 1N. ON "RD. 125" TO "WILDFIRE RD., 6 1/2W., S. INTO @ FARM DRIVE




MAIN SECTION

Database File 7313pe.db
 Dataset Pathname pass6.2
 Presentation Format _micro
 Dataset Creation Fri Aug 04 16:46:08 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV	0	LTEN (lb)	5000
			0 (ft3)	10		







4300


4350


4400


4450













REPEAT SECTION

Database File 7313pe.db
 Dataset Pathname pass5.3
 Presentation Format _micro
 Dataset Creation Fri Aug 04 16:50:55 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV	0	LTEN (lb)	5000
			0 (ft3)	10		





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40	
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40	
0	MINMK	20	TBHV		0	LTEN (lb)	5000
			0 (ft3)	10			

Calibration Report

Database File 7313pe.db
 Dataset Pathname pass6.2
 Dataset Creation Fri Aug 04 16:46:08 2023

MICRO Calibration Report

Serial Number: 070911
 Tool Model: ProbeN
 Performed: Tue Aug 01 15:45:31 2023

Caliper Calibration: Gain=4.651 Offset=2.512

References	Low Cal	High Cal
Readings	8.000	16.000
	1.180	2.900

1.5" Calibration: Gain=40.000 Offset=0.000

References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.291

Readings	0.001	1.201
2" Calibration:	Gain=55.000	Offset=-0.500
References	Low Cal 0.000	High Cal 20.000
Readings	0.003	1.103

Gamma Ray Calibration Report

Serial Number:	070558	
Tool Model:	OPEN_GR	
Performed:	Tue Aug 01 12:36:48 2023	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.3000	GAPI/cps