



SONIC LOG

Company SHELBY RESOURCES, LLC.
Well DYMOND #1-5
Field UNNAMED
County PRATT State KANSAS

Location: API #: 15-151-22573-0000
1978 FNL & 1132 FEL
SW - NW - SE - NE
SEC 5 TWP 29S RGE 14W
Permanent Datum GROUND LEVEL Elevation 2034
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services CDL/CNL/PE DIL/MEL
Elevation K.B. 2046 D.F. 2044 G.L. 2034

Table with columns: Date, Run Number, Depth Driller, Depth Logger, Bottom Logged Interval, Top Log Interval, Casing Driller, Casing Logger, Bit Size, Type Fluid in Hole, Density / Viscosity, PH / Fluid Loss, Source of Sample, Rim @ Meas. Temp, Rmc @ Meas. Temp, Source of Rmf / Rmc, Rim @ BHT, Time Circulation Stopped, Time Logger on Bottom, Maximum Recorded Temperature, Equipment Number, Location, Recorded By, Witnessed By.

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. ( 785 ) 628-6395

DIRECTIONS:


FROM PRATT, KANSAS GO WEST 7 MILES TO SW 70TH AVE., SOUTH 5 1/2 MILES, WEST INTO




MAIN SECTION

Database File 7781pe.db  
 Dataset Pathname pass6.6  
 Presentation Format \_slt  
 Dataset Creation Fri Oct 13 03:24:30 2023  
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40			
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10		
-----			TBHV	0	ITT (msec)	20	0	LTEN (lb)	5000
-----			0 (ft3)	10					






1100

1150

1200

1250






1100


1150


1200


1250





























3300


3350


3400


3450


















TBHV	0	ITT (msec)	20	0	LTEN (lb)	5000
0 (ft3)	10					



# REPEAT SECTION

Database File 7781pe.db  
 Dataset Pathname pass5R  
 Presentation Format \_slt  
 Dataset Creation Fri Oct 13 03:22:05 2023  
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40			
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10		
			TBHV	0	ITT (msec)	20	0	LTEN (lb)	5000
			0 (ft3)	10					

