


MICRO
LOG



Company SHELBY RESOURCES, LLC.
Well KERR MINERALS #1-17
Field STELZER SOUTHEAST
County PRATT State KANSAS

Location: API #: 15-151-22580-0000
1639' FSL & 2156' FEL
SE - SW - NW - SE
SEC 17 TWP 29S RGE 14W
Permanent Datum GROUND LEVEL Elevation 2010
Log Measured From KELLY BUSHING 12' A.G.L
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/SONIC
Elevation
K.B. 2022
D.F. 2020
G.L. 2010

Date	11/19/23		
Run Number	TWO		
Depth Driller	4825		
Depth Logger	4826		
Bottom Logged Interval	4810		
Top Log Interval	3000		
Casing Driller	8.625@907		
Casing Logger	907		
Bit Size	7.785		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,000 PPM	
Density / Viscosity	9.3/62		
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.950@68F		
Rmf @ Meas. Temp	.713@68F		
Rmc @ Meas. Temp	1.14@68F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.525@123F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	1:30 P.M.		
Maximum Recorded Temperature	123F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS	JEREMY PASEK	
Witnessed By	JEREMY SCHWARTZ		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-151-22580-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
COATS, KS., 2 1/2 W., N. INTO





MAIN SECTION

Database File 8339pe.db
 Dataset Pathname pass6.4
 Presentation Format _micro
 Dataset Creation Sun Nov 19 15:04:54 2023
 Charted by Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV	0	LTEN (lb)	5000
			0 (ft3)	10		











3400
3450
3500
3550
3600




















REPEAT SECTION

Database File 8339pe.db
 Dataset Pathname pass5.1
 Presentation Format _micro
 Dataset Creation Sun Nov 19 14:41:03 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40	
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40	
0	MINMK	20	TBHV		0	LTEN (lb)	5000
			0 (ft3)	10			





6	CALIPER (in)	16	10 (ft3)	0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			0	LTEN (lb) 5000
			0 (ft3) 10				

Calibration Report

Database File 8339pe.db
 Dataset Pathname pass6.4
 Dataset Creation Sun Nov 19 15:04:54 2023

MICRO Calibration Report

Serial Number: 070910
 Tool Model: ProbeN
 Performed: Wed Nov 15 07:57:51 2023

Caliper Calibration:	Gain=3.478	Offset=2.087
	Low Cal	High Cal
References	8.000	16.000
Readings	1.700	4.000

1.5" Calibration:	Gain=54.000	Offset=0.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.000	1.216

2" Calibration:	Gain=58.000	Offset=0.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.002	1.053

Gamma Ray Calibration Report

Serial Number: 070559
 Tool Model: OPEN_GR
 Performed: Wed Nov 15 07:49:51 2023

Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.3000	GAPI/cps