


SONIC
LOG



Company SHELBY RESOURCES, LLC.
Well KERR MINERALS #1-17
Field STELZER SOUTHEAST
County PRATT State KANSAS

Location: API #: 15-151-22580-0000
1639' FSL & 2156' FEL
SE - SW - NW - SE
SEC 17 TWP 29S RGE 14W
Permanent Datum GROUND LEVEL Elevation 2010
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/ML
Elevation
K.B. 2022
D.F. 2020
G.L. 2010

Date	11/19/23
Run Number	TWO
Depth Driller	4825
Depth Logger	4826
Bottom Logged Interval	4818
Top Log Interval	800
Casing Driller	8.625@907
Casing Logger	907
Bit Size	7.785
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.3/62
pH / Fluid Loss	10.0/8.8
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.950@68F
Rmf @ Meas. Temp	.713@68F
Rmc @ Meas. Temp	1.14@68F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.525@123F
Time Circulation Stopped	4 HOURS
Time Logger on Bottom	1:30 P.M.
Maximum Recorded Temperature	123F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	JEREMY SCHWARTZ

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-151-22580-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
COATS, KS., 2 1/2 W., N. INTO






MAIN SECTION


Database File 8339pe.db
 Dataset Pathname pass6.5
 Presentation Format slt
 Dataset Creation Sun Nov 19 15:31:28 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3)	10			











1500


1550


1600



1650
















2600

2650

2700

2750






2800


2850


2900



2950


3000



















4150


4200


4250

4300











REPEAT SECTION

Database File 8339pe.db
 Dataset Pathname pass5.1
 Presentation Format slt
 Dataset Creation Sun Nov 19 14:41:03 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3)	10			





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		