# MICRO LOG

Company VINCENT OIL CORPORATION
Well PERKINS-CLOSE #1-3
Field MULBERRY CREEK
County FORD State KANSAS

Location: API # : 15-057-21097-0000
1305 'FNL & 1476' FEL
NE - NE - SW - NE
SEC 3 TWP 29S RGE 23W

Other Services
CDL/CNL/PE
DIL/SONIC

Elevation
K.B. 2535
D.F. 2533
G.L. 2523

Permanent Datum GROUND LEVEL Elevation 2523
Log Measured From KELLY BUSHING 12' A.G.L
Drilling Measured From KELLY BUSHING

| | | | |
|---|---|---|---|
| Date | 10/25/23 | | |
| Run Number | TWO | | |
| Depth Driller | 5300 | | |
| Depth Logger | 5302 | | |
| Bottom Logged Interval | 5286 | | |
| Top Log Interval | 4200 | | |
| Casing Driller | 8.625@650 | | |
| Casing Logger | 646 | | |
| Bit Size | 7.785 | | |
| Type Fluid in Hole | CHEMICAL MUD | CHLORIDES 9,600 PPM | |
| Density / Viscosity | 9.3/57 | | |
| pH / Fluid Loss | 9.0/12.8 | | |
| Source of Sample | FLOWLINE | | |
| Rm @ Meas. Temp | .500@78F | | |
| Rmf @ Meas. Temp | .375@78F | | |
| Rmc @ Meas. Temp | .600@78F | | |
| Source of Rmf / Rmc | MEASUREMENT | | |
| Rm @ BHT | .305@128F | | |
| Time Circulation Stopped | 5 HOURS | | |
| Time Logger on Bottom | 10:00 P.M. | | |
| Maximum Recorded Temperature | 128F | | |
| Equipment Number | 922339 | | |
| Location | HAYS, KANSAS | | |
| Recorded By | JEFF LUEBBERS | JEREMY PASEK | |
| Witnessed By | MACKLIN ARMSTRONG | | |

VINCENT OIL CORPORATION
PERKINS-CLOSE #1-3
MULBERRY CREEK
FORD
KANSAS
Company
Well
Field
County
State

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

15-057-21097-0000

THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395


DIRECTIONS


KINGSDOWN, KS. 2N ON "RD 125" TO WILBURN RD, 3 1/2 W S INTO AT THE BOTTOM OF THE HILL


MAIN SECTION


| | |
|---|---|
| Database File | 8330pe.db |
| Dataset Pathname | pass6.2 |
| Presentation Format | _micro |
| Dataset Creation | Wed Oct 25 23:18:38 2023 |
| Charted by | Depth in Feet scaled 1:240 |


| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | GAMMA RAY (GAPI) | 150 | ABHV | 0 | MEL1.5 (Ohm-m) | | 40 |
| 6 | CALIPER (in) | 16 | 10 (ft3) 0 | 0 | MEL2.0 (Ohm-m) | | 40 |
| 0 | MINMK | 20 | TBHV | | | 0 LTEN (lb) | 5000 |
| | | | 0 (ft3) 10 | | | | |





4400
4450
4500
4550


4600
4650
4700
4750
4800


4850
4900
4950
5000


5050
5100
5150
5200
5.5" ABHV
5250




## Calibration Report

| | |
|---|---|
| Database File | 8330pe.db |
| Dataset Pathname | pass6.2 |
| Dataset Creation | Wed Oct 25 23:18:38 2023 |

### MICRO Calibration Report

| | | |
|---|---|---|
| Serial Number: | 070910 | |
| Tool Model: | ProbeN | |
| Performed: | Thu Oct 19 22:52:39 2023 | |
| Caliper Calibration: | Gain=3.478 | Offset=2.087 |
| | Low Cal | High Cal |
| References | 8.000 | 16.000 |
| Readings | 1.700 | 4.000 |
| 1.5" Calibration: | Gain=55.000 | Offset=0.000 |
| | Low Cal | High Cal |
| References | 0.000 | 20.000 |
| Readings | 0.000 | 1.216 |
| 2" Calibration: | Gain=58.000 | Offset=0.000 |
| | Low Cal | High Cal |
| References | 0.000 | 20.000 |
| Readings | 0.002 | 1.053 |

### Gamma Ray Calibration Report

| | | |
|---|---|---|
| Serial Number: | 070559 | |
| Tool Model: | OPEN_GR | |
| Performed: | Sat Oct 14 20:30:21 2023 | |
| Calibrator Value: | 1.0 | GAPI |
| Background Reading: | 0.0 | cps |
| Calibrator Reading: | 1.0 | cps |
| Sensitivity: | 0.3000 | GAPI/cps |