



MICRO LOG

Company MAI OIL OPERATIONS, INC.
Well #1 KRUG - DRISCOLL UNIT
Field KENNEBEC
County RUSSELL State KANSAS

Location: API #: 15-167-24135-0000

Permanent Datum GROUND LEVEL Elevation 1768

Log Measured From KELLY BUSHING 10' A.G.L.

Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL
DIL

Elevation

K.B. 1778
D.F. 1776
G.L. 1768

Date 12/5/23

Run Number TWO

Depth Driller 3296

Depth Logger 3296

Bottom Logged Interval 3294

Top Log Interval 2200

Casing Driller 8.625@477

Casing Logger 477

Bit Size 7.785

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.2/60

pH / Fluid Loss 10.0/6.2

Source of Sample FLOWLINE

Rm @ Meas. Temp .650@64F

Rmf @ Meas. Temp .488@64F

Rmc @ Meas. Temp .780@64F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .378@110F

Time Circulation Stopped 3 HOURS

Time Logger on Bottom 4:00 P.M.

Maximum Recorded Temperature 110F

Equipment Number 922339

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By KIM SHOEMAKER

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-167-24135-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
RUSSELL, KS. & I-70, S. ON HWY 281 TO RIVER BRIDGE, 2W. ON "WALTERS LN", S. INTO





MAIN SECTION


Database File	8343ddn.db
Dataset Pathname	pass6.1
Presentation Format	micro
Dataset Creation	Tue Dec 05 16:37:17 2023
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		











2850


2900

2950

3000









REPEAT SECTION

Database File 8343ddn.db
 Dataset Pathname pass5.1
 Presentation Format micro
 Dataset Creation Tue Dec 05 16:08:37 2023
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3) 0	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3) 10			





Database File		8343ddn.db	
Dataset Pathname		pass6.1	
Dataset Creation		Tue Dec 05 16:37:17 2023	
MICRO Calibration Report			
Serial Number:		070910	
Tool Model:		ProbeN	
Performed:		Tue Dec 05 08:27:21 2023	
Caliper Calibration:		Gain=3.556	Offset=1.778
References		Low Cal	High Cal
Readings		8.000	16.000
		1.750	4.000
1.5" Calibration:		Gain=54.000	Offset=0.000
References		Low Cal	High Cal
Readings		0.000	20.000
		0.000	1.216
2" Calibration:		Gain=62.000	Offset=-0.500
		Low Cal	High Cal

References	Low Cal	High Cal
Readings	0.000	20.000
	0.002	1.053
Gamma Ray Calibration Report		
Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Fri Dec 01 05:59:11 2023	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2800	GAPI/cps