



MICRO  
LOG

Company JOHN O. FARMER, INC.  
Well ZEIGLER UNIT #1  
Field CONGER  
County ROOKS  
State KS

Company JOHN O. FARMER, INC.  
Well ZEIGLER UNIT #1  
Field CONGER  
County ROOKS State KS

Location: API #: 15 163 24478  
1520' FNL & 270' FEL  
SEC 9 TWP 10S RGE 16W  
Permanent Datum Ground Level Elevation 1897'  
Log Measured From KB 8' AGL  
Drilling Measured From KB  
Other Services  
DIL  
CDNL  
Elevation  
K.B. 1905'  
D.F. 1903'  
G.L. 1897'

Date	4/10/2023
Run Number	Two
Depth Driller	3460'
Depth Logger	3460'
Bottom Logged Interval	3458'
Top Log Interval	2700'
Casing Driller	8 5/8" @ 223'
Casing Logger	223'
Bit Size	7 7/8"
Type Fluid in Hole	Chemical Mud
Density / Viscosity	8.9/50
pH / Fluid Loss	9.5/8.4
Source of Sample	Calculated
Rm @ Meas. Temp	1.8@60degf
Rmf @ Meas. Temp	1.35@60degf
Rmc @ Meas. Temp	2.16@60degf
Source of Rmf / Rmc	Calculated
Rm @ BHT	0.93@115degf
Time Circulation Stopped	9:30 pm
Time Logger on Bottom	12:15 am
Maximum Recorded Temperature	115degf
Equipment Number	T-605
Location	HAYS, KS
Recorded By	COLBY DREILING
Witnessed By	AUSTIN KLAUS

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

EAST ON HW 18 OUT OF PLAINVILLE FOR 11 MILES, TURN NORTH ON 28 RD FOR 1/4 MILES, WEST INTO.

Thank you for using Gemini Wireline  
785-625-1182





MAIN PASS

Database File jofzeiglerunit#1oh.db  
 Dataset Pathname pass5.1  
 Presentation Format kml  
 Dataset Creation Tue Apr 11 02:05:11 2023  
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150
6	MCAL (in)	16
6	BOREID (in)	16
0	MINMK	50

0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20
10000	LTEN (lb)	0






2900

2950


3000

3050


3100



3100




3150



3200

3250

3300



# REPEAT SECTION

Database File jofzeiglerunit#1oh.db  
 Dataset Pathname pass4.1  
 Presentation Format kml  
 Dataset Creation Tue Apr 11 02:07:14 2023  
 Charted by Depth in Feet scaled 1:240


0	GR (GAPI)	150
6	MCAL (in)	16
6	BOREID (in)	16

0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20
10000	LTEN (lb)	0

0

MINMK

50




3300

3350

3400

3450

0	GR (GAPI)	150
6	MCAL (in)	16



0	MN 2" (Ohm-m)	20
0	MI 1" (Ohm-m)	20

