MICRO LOG

Company PALOMINO PETROLEUM, INC.
Well GET CARTER #1
Field HUGOTON NORTHEAST GAS AREA
County SCOTT State KANSAS

Company PALOMINO PETROLEUM, INC.
Well GET CARTER #1
Field HUGOTON NORTHEAST GAS AREA
County SCOTT
State KANSAS

Location: API # : 15-171-21314-0000

446' FSL & 534' FWL
NE - SW - SW - SW
SEC 22 TWP 18S RGE 31W

Other Services
CDL/CNL/PE
DIL

Permanent Datum GROUND LEVEL Elevation 2932
Log Measured From KELLY BUSHING 11' A.G.L
Drilling Measured From KELLY BUSHING

Elevation
K.B. 2943
D.F. 2941
G.L. 2932

Date	12/20/23		
Run Number	TWO		
Depth Driller	5180		
Depth Logger	5186		
Bottom Logged Interval	5184		
Top Log Interval	3500	2900-2200	
Casing Driller	8.625@310		
Casing Logger	310		
Bit Size	7.785		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3,000 PPM	
Density / Viscosity	9.4/57		
pH / Fluid Loss	9.5/7.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.50@68F		
Rmf @ Meas. Temp	1.13@68F		
Rmc @ Meas. Temp	1.80@68F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.803@127F		
Time Circulation Stopped	5 HOURS		
Time Logger on Bottom	6:15 A.M.		
Maximum Recorded Temperature	127F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	RYAN SEIB		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


15-171-21314-0000


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
GRIGSTON, KS. & HWY 96, 1.5 W. TO "UNION RD." 1S., E. INTO


UPPER SECTION


Database File	8401pe.db
Dataset Pathname	pass7.3
Presentation Format	micro
Dataset Creation	Wed Dec 20 07:41:44 2023
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3) 0	0	MEL15 (Ohm-m)	40
			ABHV		
			0 (ft3) 10		





2400
2450
2500
2550



2600
2650
2700
2750
2800





MAIN SECTION


Database File	8401pe.db
Dataset Pathname	pass6.2
Presentation Format	micro
Dataset Creation	Wed Dec 20 07:17:04 2023
Charted by	Depth in Feet scaled 1:240






3550
3600
3650
3700
3750



3800
3850
3900
3950



4000
4050
4100
4150
4200


4250
4300
4350
4400


4450
4500
4550
4600


4650
4700
4750
4800
4850


4900
4950
5000
5050





0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m) 40
6	MELCAL (in)	16	10 (ft3) 0	0	MEL15 (Ohm-m) 40
			ABHV		
			0 (ft3) 10		

REPEAT SECTION

Database File	8401pe.db
Dataset Pathname	pass5.2
Presentation Format	micro
Dataset Creation	Wed Dec 20 06:34:50 2023
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m) 40
6	MELCAL (in)	16	10 (ft3) 0	0	MEL15 (Ohm-m) 40
			ABHV		
			0 (ft3) 10		





Calibration Report

Database File 8401pe.db

Database File	8401pe.db
Dataset Pathname	pass7.3
Dataset Creation	Wed Dec 20 07:41:44 2023

MICRO Calibration Report

Serial Number:	070910	
Tool Model:	ProbeN	
Performed:	Wed Dec 20 07:29:24 2023	
Caliper Calibration:	Gain=3.509	Offset=1.965
	Low Cal	High Cal
References	8.000	16.000
Readings	1.720	4.000
1.5" Calibration:	Gain=58.000	Offset=1.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.000	1.216
2" Calibration:	Gain=58.000	Offset=0.500
	Low Cal	High Cal
References	0.000	20.000
Readings	0.002	1.053

Gamma Ray Calibration Report

Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Sun Dec 17 06:19:38 2023	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2800	GAPI/cps