

MICRO
LOG

Company SHELBY RESOURCES, LLC.
Well EUBANK #1-17
Field STELZER SOUTHEAST
County PRATT State KANSAS

Location: API # : 15-151-22589-0000
355 FNL & 359 FWL
SE - N - N - N
SEC 17 TWP 29S RGE 14W
Permanent Datum GROUND LEVEL Elevation 2023
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/SON
Elevation
K.B. 2035
D.F. 2033
G.L. 2023

Date	2/28/24		
Run Number	TWO		
Depth Driller	4846		
Depth Logger	4845		
Bottom Logged Interval	4829		
Top Log Interval	3000		
Casing Driller	8.625 @ 902		
Casing Logger	902		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 6.500 PPM	
Density / Viscosity	9.2+/-54		
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.900 @ 60F		
Rmf @ Meas. Temp	.675 @ 60F		
Rmc @ Meas. Temp	1.08 @ 60F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.435 @ 124F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	8:30 P.M.		
Maximum Recorded Temperature	124F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	JEREMY SHWARTZ		


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:
FROM COATS, KANSAS GO 3 MILES WEST, 3/4 MILE NORTH ON SW 80TH AVENUE,
EAST INTO




MAIN SECTION

Database File	7069pe.db
Dataset Pathname	pass6D
Presentation Format	_micro
Dataset Creation	Wed Feb 28 21:27:46 2024
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV		0	LTEN (lb)
			0 (ft3)	10		5000







3200

3250

3300

3350






3400


3450

3500

3550

3600







3650

3700

3750

3800






3850


3900

3950

4000

4050







4100

4150

4200

4250







4300

4350


4400



4450





4500
4550
4600
4650
4700






REPEAT SECTION

Database File 7069pe.db
 Dataset Pathname pass5R
 Presentation Format _micro
 Dataset Creation Wed Feb 28 21:14:56 2024
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV		0	LTEN (lb) 5000
			0 (ft3) 10			



0	MINMK	20	TBHV	0	LTEN (lb)	5000
			0 (ft3) 10			

Calibration Report								
Database File	7069pe.db							
Dataset Pathname	pass6D							
Dataset Creation	Wed Feb 28 21:27:46 2024							
MICRO_USR Calibration Report								
Serial Number:	070911							
Tool Model:	ProbeL							
Performed:	Fri Sep 15 13:51:55 2023							
Caliper Calibration:	Gain=4.500	Offset=0.750						
References	Low Cal	High Cal						
Readings	8.000	14.000						
	1.451	3.049						
1.5" Calibration:	Gain=24.000	Offset=0.000						
References	Low Cal	High Cal						
Readings	0.000	20.000						
	0.006	1.243						
2" Calibration:	Gain=36.000	Offset=-0.400						
References	Low Cal	High Cal						
Readings	0.000	20.000						
	0.011	0.957						
Microlog Calibration Report								
Serial-Model:	070911-ProbeL							
Performed:	Sat May 14 04:48:25 2022							
	Readings		References		Results			
	Zero	Cal	Zero	Cal	m	b		
Normal	0.0002	0.4836	V	0.0000	10.0000	Ohm-m	20.6908	-0.0051
Inverse	0.0018	0.6297	V	0.0000	10.0000	Ohm-m	15.9263	-0.0282
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000
Gamma Ray Calibration Report								
Serial Number:	070558							
Tool Model:	Probe1							
Performed:	Sat Sep 30 18:38:35 2023							
Calibrator Value:	1.0		GAPI					
Background Reading:	0.0		cps					
Calibrator Reading:	1.0		cps					
Sensitivity:	0.2700		GAPI/cps					