

SONIC LOG

Company SHELBY RESOURCES, LLC.
Well EUBANK #1-17
Field STELZER SOUTHEAST
County PRATT State KANSAS

Location: API # : 15-151-22589-0000
355 FNL & 359 FWL
SE - N - N - N
SEC 17 TWP 29S RGE 14W
Permanent Datum GROUND LEVEL Elevation 2023
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2035
D.F. 2033
G.L. 2023

Date	2/28/24		
Run Number	TWO		
Depth Driller	4846		
Depth Logger	4845		
Bottom Logged Interval	4837		
Top Log Interval	902		
Casing Driller	8.625 @ 902		
Casing Logger	902		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 6.500 PPM	
Density / Viscosity	9.2+/-54		
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.900 @ 60F		
Rmf @ Meas. Temp	.675 @ 60F		
Rmc @ Meas. Temp	1.08 @ 60F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.435 @ 124F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	8.30 P.M.		
Maximum Recorded Temperature	124F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	JEREMY SHWARTZ		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:
FROM COATS, KANSAS GO 3 MILES WEST, 3/4 MILE NORTH ON SW 80TH AVENUE,
EAST INTO




MAIN SECTION

Database File	7069pe.db
Dataset Pathname	pass6.3
Presentation Format	_slt
Dataset Creation	Wed Feb 28 22:17:26 2024
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20 0
			0 (ft3) 10	LTEN (lb) 5000		







1100

1150

1200

1250






1300


1350

1400

1450

1500






1550


1600



CALIPER CLOSED DUE TO HOLE CONDITIONS


1650


1700
















2650



2700


2750



2800
















3750


3800

3850

3900









4200

4250

4300

4350







4400



4450

4500

4550







REPEAT SECTION

Database File 7069pe.db
 Dataset Pathname pass5R
 Presentation Format _slt
 Dataset Creation Wed Feb 28 21:14:56 2024
 Charted by Depth in Feet scaled 1:240

