



COMPOSITE LOG

Company	AZTEC OIL OPERATING LLC		
Well	COOPER # D7		
Field	FLIES		
County	BUTLER	State	KANSAS
Location:	API # : 15-015-24226-0000		Other Services CDLN
	NW NE SW NE 1494' FNL & 1908' FEL		SONIC
	SEC 31 TWP 28N RGE 8E		ILD MICRO
Permanent Datum	GL	Elevation	1585
Log Measured From	KB		K.B. 1594
Drilling Measured From	KB 9		D.F. 1593
			G.L. 1585
Date	4-9-2024		
Run Number	ONE		
Depth Driller	2935		
Depth Logger	2936		
Bottom Logged Interval	2933		
Top Log Interval	SURFACE		
Casing Driller	8.625" @ 214		
Casing Logger	8.625" @ 214		
Bit Size	7.875"		
Type Fluid in Hole	MUD		
Density / Viscosity	9.5 / 43		
pH / Fluid Loss	10.5 / 12.4		
Source of Sample	PIT		
Rm @ Meas. Temp	2.1 @ 70		
Rmf @ Meas. Temp	1.68 @ 70		
Rmc @ Meas. Temp	2.52 @ 70		
Source of Rmf / Rmc	CALCULATED		
Rm @ BHT	1.26 @ 103		
Time Circulation Stopped	2:00 PM		
Time Logger on Bottom	5:30 PM		
Maximum Recorded Temperature	103		
Equipment Number	OW2		
Location	HOMINY, OK		
Recorded By	SHELDON TYLER		
Witnessed By	MR. SHARP		
	MACKAY		
	MR. WOLFE		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


FILE # OW2-9333 AZTEC
KIDD
THANK YOU FOR USING OSAGE WIRELINE





5" COMPOSITE LOG




































2" BHV/DEVIATION LOG


Database File ow2-9333 aztec oil.db
Dataset Pathname pass4.4
Presentation Format st_bhv_micro_6-16
Dataset Creation Mon Apr 08 12:32:11 2024
Charted by Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150	DEVI	15	Micro Caliper (in)	5	5	Micro Caliper (in)	15	
			0 (deg)	10	15	Bit Size (in)	5	5	Bit Size (in)	15
					CASEOD			CASEOD		
					5.5"			5.5"		
					(in)			(in)		
			DEVI (deg)	TBHV (ft3)				ABHV (ft3)		









1400

1500

1600

1700

1800

1900

0.6

0.7

0.8

1.0

1.3

1.1

1.0

0.9

0.9

0.9

0.7

593

564

538

517

494

467

439

413

386

365

347

343

322

305

292

277

258



239


221



202


190

180





Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
ACCY	31.04		ADMYR_TELEMETRY-OSAGE_01 (Refurb01) Admyr Telemetry With Gr, Deviation, ADC board and Pulses Board in it.	3.69	3.25	53.00
ACCX	31.04					
GR	29.86					
FRAMES	28.54		MICRO_DIG-Osage (110861) Digital Microlog	7.21	5.13	137.00
SSTAT	28.54					
PSTAT	28.54					
ASTAT	28.54					
MI	23.00		DIL-G (RedTool) Gearhart	21.33	4.00	290.00
MN	23.00					
MCAL	22.00					
ASTAT2	21.33					
SP	10.92		DIL-G (RedTool) Gearhart	21.33	4.00	290.00
CILD	10.92					
CILM	7.50					
RLL3	1.65					
TR_Mon	0.00					
Dataset: ow2-9333 aztec oil.db: field/well/run1/pass4.5 Total length: 32.23 ft Total weight: 480.00 lb O.D.: 5.13 in						

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
CENT	22.42					
TR_Mon	22.42					

				CENT-SDSCENT Centralizer	3.00	3.25	20.00
WVF1	14.09						
WVF3	12.25						
				SLT-GEAR (SLT1) Probe Sonic Tool	15.83	3.50	140.00
WVF2	9.25						
WVF4	8.25						
CAP CENT	3.59 3.17			CAP-END End cap for SUB	0.42	1.50	1.00
				CENT-Probe Probe 1 11/16 Centralizer	3.17	1.69	20.00
Dataset: ow2-9333 aztec oil.db: field/well/run1/pass6 Total length: 22.42 ft Total weight: 181.00 lb O.D.: 3.50 in							

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
ACCY	17.83					
ACCY	17.83					

