



SONIC LOG

Company	SHAKESPEARE OIL COMPANY, INC.		
Well	BLOOM #3-22		
Field	CALE NORTH		
County	GOVE	State	KANSAS
Location:	API # : 15-063-22440-0000		Other Services CDL/CNL/PE DIL/MEL
Permanent Datum	GROUND LEVEL	Elevation	2951
Log Measured From	KELLY BUSHING 9' A.G.L		K.B. 2960 D.F. 2958 G.L. 2951
Drilling Measured From	KELLY BUSHING		
Date	3/22/24		
Run Number	TWO		
Depth Driller	4620		
Depth Logger	4620		
Bottom Logged Interval	4612		
Top Log Interval	200		
Casing Driller	8.625@236		
Casing Logger	234		
Bit Size	7.785		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 2.500 PPM	
Density / Viscosity	9.3/52		
pH / Fluid Loss	10.5/8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.40@77F		
Rmf @ Meas. Temp	1.05@77F		
Rmc @ Meas. Temp	1.68@77F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.884@122F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	11:30 P.M.		
Maximum Recorded Temperature	122F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS	JEREMEY PASEK	
Witnessed By	KENT MATSON		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-063-22440-0000

Comments

THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS


I-70 & CAMPUS EXIT, 2 1/2S. ON "RD. 18" PAST FARM TO (PRIVATE DRIVE) 1/2W., N. INTO





MAIN SECTION



Database File	8424pe.db
Dataset Pathname	pass7.4
Presentation Format	slt
Dataset Creation	Sat Mar 23 01:14:24 2024
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			
















1300

1350

1400

1450







1500


1550


1600


1650
















2600

2650

2700

2750







2800


2850

2900

2950

3000









3050


3100

3150

3200









3500


3550

3600

3650








3900


3950

4000

4050

4100







4150

4200

4250

4300






4350


4400

4450

4500

4550





REPEAT SECTION

Database File 8424pe.db
 Dataset Pathname pass6.1
 Presentation Format slt
 Dataset Creation Fri Mar 22 23:54:34 2024
 Charted by Depth in Feet scaled 1:240

