

SONIC LOG

Company	JASPAR COMPANY, INC.	Company	JASPAR COMPANY, INC.
Well	BJW #5	Well	BJW #5
Field	EDGAR SOUTHWEST	Field	EDGAR SOUTHWEST
County	ROOKS	County	ROOKS
State	KANSAS	State	KANSAS
Location:	API # : 15-163-24499-0000	Other Services	
Permanent Datum	1097 FNL & 1985 FEL	CDL/CNL	
Log Measured From	SE - SW - NW - NE	DIL/MEL	
Drilling Measured From	SEC 10 TWP 6S RGE 20W	Elevation	
	GROUND LEVEL Elevation	K.B. 2158	
	KELLY BUSHING 7' A.G.L	D.F. 2156	
	KELLY BUSHING	G.L. 2151	
Date	3/24/24		
Run Number	TWO		
Depth Driller	3629		
Depth Logger	3628		
Bottom Logged Interval	3620		
Top Log Interval	200		
Casing Driller	8.625 @ 218		
Casing Logger	218		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 900 PPM	
Density / Viscosity	9.3/54		
pH / Fluid Loss	9.5/8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	2.10 @ 70F		
Rmf @ Meas. Temp	1.58 @ 70F		
Rmc @ Meas. Temp	2.52 @ 70F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	1.30 @ 113F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	7:00 P.M.		
Maximum Recorded Temperature	113F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBBEN		
Witnessed By	CAMERON BRIN		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


FROM STOCKTON, KANSAS GO NORTH ON HIGHWAY 183 FOR 5 MILES TO 'E' ROAD, WEST TO 5 P
NORTH 2 3/4 MILES, WEST INTO OVER CATTLE GUARD






MAIN SECTION


Database File	8654ddn.db
Dataset Pathname	pass6.4
Presentation Format	_slt
Dataset Creation	Sun Mar 24 19:26:01 2024
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10		LTEN (lb)	5000











850


900


950


1000












1700


1750



1800


1850


1900













2600

2650

2700

2750






2800


2850


2900

2950

3000








3250


3300

3350

3400

3450





REPEAT SECTION

Database File8654ddn.db

Dataset Pathnamepass5R

Presentation Format_slit

Dataset CreationSun Mar 24 18:42:50 2024

Charted byDepth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10		LTEN (lb)	5000

