



GAMMA RAY
CCL/RADIAL
CEMENT BOND
LOG

Company COLT ENERGY, INC.		Company COLT ENERGY, INC.					
Well HOBBS # 78		Well HOBBS # 78					
Field IOLA		Field IOLA					
County ALLEN		County ALLEN					
State KANSAS		State KANSAS					
Location: API # : 15-001-31831-00-00		Other Services					
SEC 9 TWP 24S RGE 18E		NONE					
Permanent Datum GL		Elevation 1020					
Log Measured From GL		K.B. D.F. G.L. 1020					
Drilling Measured From GL							
Date 4-30-2024							
Run Number ONE							
Depth Driller 1060							
Depth Logger 1047							
Bottom Logged Interval 1045							
Top Log Interval 20							
Open Hole Size 6.75"							
Type Fluid WATER							
Density / Viscosity							
Max. Recorded Temp.							
Estimated Cement Top							
Time Well Ready							
Time Logger on Bottom							
Equipment Number OW2							
Location HOMINY, OK							
Recorded By SHELTON TYLER							
Witnessed By MR. MOOTS							
Borehole Record		Tubing Record					
Run Number	Bit	From	To	Size	Weight	From	To
Casing Record		Size		Wgt/Ft		Top	Bottom
Surface String							
Prot. String							
Production String		4.5					
Liner							

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

FILE # OW2-9330 COLT ENERGY
JAKE

THANK YOU FOR USING OSAGE WIRELINE



5" RADIAL BOND LOG

(GAPI) 150		Pipe Bond x5		0	Sector 3	100
OPEN HOLE GAMMA RAY		0	(mV) 20	0	Sector 4	100
		TT3FT		0	Sector 5	100
0	(GAPI) 150	1200	(usec) 200	0	Sector 6	100
		RBT_DEV		0	Sector 7	100
		(deg)		0	Sector 8	100





5" GR/CCL/NEUTRON LOG

Database File
Dataset Pathname
Presentation Format
Dataset Creation
Charted by

ow2-9330 colt energy.db
CBL/pass8.1
st_gr_ccl_neutron radial
Tue Apr 30 14:27:49 2024
Depth in Feet scaled 1:240

0	GR (GAPI)	150	30	NPOR (pu)	-10
50	CCL\$2	-5.25			







300

350

400

450






500


550

600

650

700







750

800

850

900





Calibration Report		
Database File	ow2-9330 colt energy.db	
Dataset Pathname	CBL/pass8.1	
Dataset Creation	Tue Apr 30 14:27:49 2024	
Gamma Ray Calibration Report		
Serial Number:	RED SINGLE PIN 070585	
Tool Model:	GC275-0000	
Performed:	(Not Performed)	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	GAPI/cps
Segmented Cement Bond Log Calibration Report		
Serial Number:	RBT275C_Base	
Tool Model:	RADII-275C	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	1419.710	ft