MICRO LOG

Company SHELBY RESOURCES, LLC.
Well KERR MINERALS #1-9
Field UNNAMED
County PRATT State KANSAS

Location: API # : 15-151-22593-0000

1943' FNL & 2305' FWL

SEC 9 TWP 29S RGE 14W

Other Services
CDL/CNL/PE
DIL/SONIC

Elevation
K.B. 2034
D.F. 2032
G.L. 2022

Permanent Datum GROUND LEVEL Elevation 2022
Log Measured From KELLY BUSHING 12' A.G.L
Drilling Measured From KELLY BUSHING

Date	6/21/24		
Run Number	TWO		
Depth Driller	4743		
Depth Logger	4742		
Bottom Logged Interval	4726		
Top Log Interval	3000		
Casing Driller	8.675@919		
Casing Logger	914		
Bit Size	7.785		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,000 PPM	
Density / Viscosity	9.4/53		
pH / Fluid Loss	10.0/10.4		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.600@92F		
Rmf @ Meas. Temp	.450@92F		
Rmc @ Meas. Temp	.720@92F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.449@123F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	11:30 P.M.		
Maximum Recorded Temperature	123F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JEREMY SCHWARTZ		

Company SHELBY RESOURCES, LLC.
Well KERR MINERALS #1-9
Field UNNAMED
County PRATT
State KANSAS

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


15-151-22593-0000


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
COATS, KS., 1W., 2N., E. INTO


MAIN SECTION


Database File	8637pe.db
Dataset Pathname	pass6.1
Presentation Format	_micro
Dataset Creation	Sat Jun 22 01:17:37 2024
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV		0 LTEN (lb)	5000
			0 (ft3) 10			






3200
3250
3300
3350



3400
3450
3500
3550
3600



3650
3700
3750
3800


3850
3900
3950
4000
4050


4100
4150
4200
4250


4300
4350
4400
4450


4500
4550
4600
4650
5.5" ABHV
4700
TBHV





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)		40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)		40
0	MINMK	20	TBHV		0	LTEN (lb)	5000
			0 (ft3) 10				

REPEAT SECTION

Database File	8637pe.db
Dataset Pathname	pass5.1
Presentation Format	_micro
Dataset Creation	Sat Jun 22 00:21:14 2024
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)		40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)		40
0	MINMK	20	TBHV		0	LTEN (lb)	5000
			0 (ft3) 10				





Calibration Report

Database File	8637pe.db
Dataset Pathname	pass6.1
Dataset Creation	Sat Jun 22 01:17:37 2024

MICRO Calibration Report

Serial Number:	070910
Tool Model:	ProbeN
Performed:	Fri Jun 21 23:48:34 2024

Caliper Calibration:	Gain=5.229	Offset=-0.732
	Low Cal	High Cal

References	8.000	16.000
Readings	1.670	3.200

1.5" Calibration:	Gain=60.000	Offset=-0.500
	Low Cal	High Cal
References	0.000	20.000
Readings	0.000	1.216

2" Calibration:	Gain=62.000	Offset=0.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.002	1.053

Gamma Ray Calibration Report

Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Sun Mar 31 16:20:41 2024	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.3000	GAPI/cps