



<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-151-22595-0000


Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
COATS, KS., 2N. ON "50TH AVE." TO "70TH ST.", 1/2E., N. INTO



Database File	8641pe.db
Dataset Pathname	pass8.4
Presentation Format	_micro
Dataset Creation	Sat Jul 06 07:43:13 2024
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)		40		
6	CALIPER (in)	16	10 (ft3)	0	0	MEL2.0 (Ohm-m)		40	
0	MINMK	20	TBHV				0	LTEN (lb)	5000
			0 (ft3)	10					







2200

2250

2300

2350






2400


2450

2500

2550

2600







2650


2700

2750

2800









3100


3150


3200

3250











3750

3800

3850

3900






3950


4000

4050

4100

4150







4200

4250

4300

4350







4400

4450

4500


4550






REPEAT SECTION

Database File 8641pe.db
 Dataset Pathname pass7.4
 Presentation Format _micro
 Dataset Creation Sat Jul 06 06:54:28 2024
 Charted by Depth in Feet scaled 1:240






4500

4550

4600

4650

4700



[illegible]

Database File		8641pe.db	
Dataset Pathname		pass8.4	
Dataset Creation		Sat Jul 06 07:43:13 2024	
MICRO Calibration Report			
Serial Number:		070911	
Tool Model:		ProbeN	
Performed:		Sat Jul 06 06:43:03 2024	
Caliper Calibration:		Gain=5.882	Offset=1.294
References		Low Cal	High Cal
Readings		8.000	16.000
		1.140	2.500
1.5" Calibration:		Gain=28.000	Offset=1.500
References		Low Cal	High Cal
Readings		0.000	20.000
		0.001	1.291
2" Calibration:		Gain=58.000	Offset=0.000
References		Low Cal	High Cal
Readings		0.000	20.000
		0.003	1.103
Gamma Ray Calibration Report			
Serial Number:		070559	
Tool Model:		OPEN_GR	
Performed:		Tue Jul 02 07:07:31 2024	
Calibrator Value:		1.0	GAPI
Background Reading:		0.0	cps
Calibrator Reading:		1.0	cps
Sensitivity:		0.2800	GAPI/cps