



<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-151-22595-0000


Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
COATS, KS., 2N. ON "50TH AVE." TO "70TH ST.", 1/2E., N. INTO






Database File	8641pe.db
Dataset Pathname	pass8.4
Presentation Format	slt
Dataset Creation	Sat Jul 06 07:43:13 2024
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			












1250


1300

1350

1400

1450







1500

1550

1600

1650








1700


1750

1800

1850









2150

2200

2250

2300






2350


2400

2450

2500

2550







2600


2650

2700

2750








3000


3050

3100

3150

3200







3250


3300


3350

3400











3900

3950

4000

4050






4100


4150

4200

4250

4300







4350

4400

4450

4500







REPEAT SECTION

Database File 8641pe.db
Dataset Pathname pass7.4
Presentation Format slt
Dataset Creation Sat Jul 06 06:54:28 2024
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

