



GAMMA RAY
CCL/RADIAL
CEMENT BOND
LOG

Company COLT ENERGY, INC.		Company COLT ENERGY, INC.	
Well KNOBLE # 18		Well KNOBLE # 18	
Field IOLA		Field IOLA	
County ALLEN		County ALLEN	
State KANSAS		State KANSAS	
Location: API # : 15-001-31843-00-00		Other Services	
SEC 4 TWP 24S RGE 18E		NONE	
Permanent Datum	GL	Elevation	1008
Log Measured From	GL		
Drilling Measured From	GL		
SE NE SW SW 870' FSL & 1173' FWL		Elevation	
		K.B. D.F. G.L. 1008	
Date	5-28-2024		
Run Number	ONE		
Depth Driller	1042		
Depth Logger	1022		
Bottom Logged Interval	1020		
Top Log Interval	20		
Open Hole Size	6.75"		
Type Fluid	WATER		
Density / Viscosity			
Max. Recorded Temp.			
Estimated Cement Top			
Time Well Ready			
Time Logger on Bottom			
Equipment Number	OW1		
Location	HOMINY, OK		
Recorded By	SHELDON TYLER		
Witnessed By	WES MOOTS		
Borehole Record		Tubing Record	
Run Number	Bit	From	To
		Size	Weight
			From
			To
Casing Record	Size	Mgt/ft	Top
Surface String			Bottom
Prot. String			
Production String	4.5	10.5	
Liner			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

FILE # OW1-9291 COLT ENERGY
WEEKS,CHRIS

THANK YOU FOR USING OSAGE WIRELINE



5" RADIAL BOND LOG





5" GR/CCL NEUTRON LOG

Database File ow1-9293 colt energy.db
Dataset Pathname RCBL/pass6.2
Presentation Format st_gr_ccl_neutron radial
Dataset Creation Tue May 28 12:49:14 2024
Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150
50	CCL\$2	-5.25

30	NPOR (pu)	-10
----	-----------	-----







350

400

450

500






550


600

650

700

750







800

850

900

950





Calibration Report						
Database File	ow1-9293 colt energy.db					
Dataset Pathname	RCBL/pass6.1					
Dataset Creation	Tue May 28 12:48:59 2024					
Gamma Ray Calibration Report						
Serial Number:	BLACK SINGLE PIN					
Tool Model:	GC275-0000					
Performed:	(Not Performed)					
Calibrator Value:	1.0	GAPI				
Background Reading:	0.0	cps				
Calibrator Reading:	1.0	cps				
Sensitivity:	1.0000	GAPI/cps				
Segmented Cement Bond Log Calibration Report						
Serial Number:	RBT275C_Base					
Tool Model:	RADII-275C					
Calibration Casing Diameter:	4.500	in				
Calibration Depth:	1419.710	ft				
Master Calibration, performed Mon Apr 8 14:40:34 2024:						
	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.001	0.797	0.500	81.196	101.365	0.433
CAL	0.002	0.790				
5'	0.002	0.618	0.500	81.196	130.999	0.182
SUM						
S1	0.001	0.746	0.000	79.000	106.088	-0.142
S2	0.001	0.732	0.000	79.000	108.179	-0.157
S3	0.001	0.729	0.000	79.000	108.613	-0.147
S4	0.001	0.768	0.000	79.000	103.005	-0.072
S5	0.001	0.825	0.000	79.000	95.850	-0.104
S6	0.001	0.809	0.000	79.000	97.860	-0.137
S7	0.001	0.780	0.000	79.000	101.461	-0.134
S8	0.001	0.745	0.000	79.000	106.182	-0.153
Internal Reference Calibration, performed (Not Performed):						
	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset