



MICRO
LOG

Company				SHAKESPEARE OIL COMPANY, INC.					
Well				WELLS #1-27					
Field				UNNAMED					
County				WICHITA		State		KANSAS	
Location:				API # : 15-203-20391-0000				Other Services	
SEC 27 TWP 16S RGE 35W				595' FSL & 335' FWL NE - SW - SW - SW				CDL/CNL/PE DIL/SONIC	
Permanent Datum		GROUND LEVEL		Elevation		3198		Elevation	
Log Measured From		KELLY BUSHING 9' A.G.L						K.B. 3207 D.F. 3205 G.L. 3198	
Drilling Measured From		KELLY BUSHING							
Date		7/12/24							
Run Number		TWO							
Depth Driller		4836							
Depth Logger		4838							
Bottom Logged Interval		4822							
Top Log Interval		3500							
Casing Driller		8.625@236							
Casing Logger		236							
Bit Size		7.785							
Type Fluid in Hole		CHEMICAL MUD		CHLORIDES 8,300 PPM					
Density / Viscosity		9.3/63							
pH / Fluid Loss		10.5/5.8							
Source of Sample		FLOWLINE							
Rm @ Meas. Temp		.650@84F							
Rmf @ Meas. Temp		.488@84F							
Rmc @ Meas. Temp		.780@84F							
Source of Rmf / Rmc		MEASUREMENT							
Rm @ BHT		.440@124F							
Time Circulation Stopped		4 HOURS							
Time Logger on Bottom		1:30 P.M.							
Maximum Recorded Temperature		124F							
Equipment Number		922339							
Location		HAYS, KANSAS							
Recorded By		JEFF LUEBBERS							
Witnessed By		KENT MATSON							

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


15-203-20391-0000

Comments

THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
PENCE, KS., 6W. TO "RD. 22", 2S., E. INTO AND BACK NORTH

Database File 8644pe.db
Dataset Pathname pass6.7
Presentation Format _micro
Dataset Creation Fri Jul 12 14:58:15 2024
Charted by Depth in Feet scaled 1:240






3700


3750


3800


3850

3900











4400

4450

4500

4550





4600


4650


4700

4750

TBHV →



5.5" ABHV ↑






REPEAT SECTION

Database File	8644pe.db
Dataset Pathname	pass5.2
Presentation Format	_micro
Dataset Creation	Fri Jul 12 14:48:28 2024
Charted by	Depth in Feet scaled 1:240





Calibration Report	
Database File	8644pe.db
Dataset Pathname	pass6.7
Dataset Creation	Fri Jul 12 14:58:15 2024
MICRO Calibration Report	
Serial Number:	070911
Tool Model:	ProbeN
Performed:	Thu Jul 11 13:04:04 2024

Caliper Calibration:	Gain=6.400	Offset=0.640
References	Low Cal 8.000	High Cal 16.000
Readings	1.150	2.400
1.5" Calibration:	Gain=28.000	Offset=0.000
References	Low Cal 0.000	High Cal 20.000
Readings	0.001	1.291
2" Calibration:	Gain=56.000	Offset=-1.500
References	Low Cal 0.000	High Cal 20.000
Readings	0.003	1.103
Gamma Ray Calibration Report		
Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Tue Jul 02 07:07:31 2024	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.3000	GAPI/cps