



SONIC LOG

Company	SHAKESPEARE OIL COMPANY, INC.		
Well	WELLS #1-27		
Field	UNNAMED		
County	WICHITA	State	KANSAS
Location:	API # : 15-203-20391-0000		Other Services CDL/CNL/PE DIL/MEL
Permanent Datum	GROUND LEVEL	Elevation	3198
Log Measured From	KELLY BUSHING 9' A.G.L		
Drilling Measured From	KELLY BUSHING		
	SEC 27 TWP 16S RGE 35W		
Date	7/12/24		
Run Number	TWO		
Depth Driller	4836		
Depth Logger	4838		
Bottom Logged Interval	4830		
Top Log Interval	200		
Casing Driller	8.625@236		
Casing Logger	236		
Bit Size	7.785		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,300 PPM	
Density / Viscosity	9.3/63		
pH / Fluid Loss	10.5/5.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.650@84F		
Rmf @ Meas. Temp	.488@84F		
Rmc @ Meas. Temp	.780@84F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.440@124F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	1:30 P.M.		
Maximum Recorded Temperature	124F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KENT MATSON		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-203-20391-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
PENCE, KS., 6W. TO "RD. 22", 2S., E. INTO AND BACK NORTH






MAIN SECTION


Database File	8644pe.db
Dataset Pathname	pass6.8
Presentation Format	slt
Dataset Creation	Fri Jul 12 15:14:30 2024
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			











850

900

950

1000






1050


1100


1150

1200

1250









1500

1550

1600

1650






1700


1750


1800


1850

1900












2400

2450

2500

2550







2600

2650

2700

2750






2800


2850

2900

2950

3000








3050


3100

3150

3200









3500

3550

3600

3650








3700


3750


3800


3850












4600


4650

4700

4750

5.5" ABHV





REPEAT SECTION

Database File 8644pe.db
Dataset Pathname pass5.2
Presentation Format slt
Dataset Creation Fri Jul 12 14:48:28 2024
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

