DUAL INDUCTION
LL3/GR LOG

Company REDBUD OIL & GAS OPERATING, LLC.
Well NIGHTINGALE #D1-27
Field LAFONTAINE
County WILSON
State KANSAS

Company REDBUD OIL & GAS OPERATING, LLC.

Well NIGHTINGALE #D1-27

Field LAFONTAINE

County WILSON

State KANSAS

Location: API # : 15-205-28578-00-00

SE NW SW SE
801' FSL & 2300' FEL

SEC 27 TWP 30S RGE 14E

Other Services

LITHO

Elevation

K.B.
D.F.
G.L. 890'

Permanent Datum GL Elevation 890'
Log Measured From GL
Drilling Measured From GL

Date	03-26-2026		
Run Number	ONE		
Depth Driller	1276'		
Depth Logger	1282'		
Bottom Logged Interval	1280'		
Top Log Interval	SURFACE		
Casing Driller	8.625" @ 44'		
Casing Logger	8.625" @ 44'		
Bit Size	6.75"		
Type Fluid in Hole	WATER		
Density / Viscosity			
pH / Fluid Loss			
Source of Sample			
Rm @ Meas. Temp			
Rmf @ Meas. Temp			
Rmc @ Meas. Temp			
Source of Rmf / Rmc			
Rm @ BHT			
Time Circulation Stopped			
Time Logger on Bottom			
Maximum Recorded Temperature			
Equipment Number	OW2		
Location	HOMINY, OK		
Recorded By	M. TAFT		
Witnessed By	MUGGER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

FILE # 032626 REDBUD NIGHTINGALE D1-27
ABHV COMPUTED WITH 4 1/2" CASING

CREW: BELLIEU, ROMERO


THANK YOU FOR USING OSAGE WIRELINE


2" DIL SECTION


Database File	032626-ow2-01 redbud nightingale d1-27.db
Dataset Pathname	LITHO/pass4.2
Presentation Format	_matt2in_dil
Dataset Creation	Thu Mar 26 14:38:32 2026
Charted by	Depth in Feet scaled 1:600

0	GR (GAPI)	150
0	Spontanious Potential (mV)	200

1000	CILD (mmho/m)	0
1000	CILM (mmho/m)	0
0	RLL3 (Ohm-m)	50
0	RILM (Ohm-m)	50
0	RILD (Ohm-m)	50




500
550
600
650
700
750
800
850
900
950
1000



0	GR (GAPI)	150
0	Spontanious Potential (mV)	200


1000	CILD (mmho/m)	0
1000	CILM (mmho/m)	0
0	RLL3 (Ohm-m)	50
0	RILM (Ohm-m)	50
0	RILD (Ohm-m)	50


5" DIL SECTION


Database File	032626-ow2-01 redbud nightingale d1-27.db
Dataset Pathname	LITHO/pass4
Presentation Format	st-dil_5
Dataset Creation	Thu Mar 26 14:13:16 2026
Charted by	Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150
0	Spontaneous Potential (mV)	200


0.2	Shallow Resistivity (Ohm-m)	2000
0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000






100
150
200
250
300


350
400
450
500



550
600
650
700
750


800
850
900
950


1000
1050
1100
1150



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb
			Cable-CableHead Isulation Sub	1.42	3.00	20.00
SP CILD	10.92 10.92		DIL-G (080123_(GRAY TOOL)) Gearhart	21.33	4.00	290.00
CILM	7.00					

RLL3	1.65					

Dataset:	032626-ow2-01 redbud nightingale d1-27.db: field/well/LITHO/pass4
Total length:	22.75 ft
Total weight:	310.00 lb
O.D.:	4.00 in