LOG-TECH

DIGITAL LOG (785) 625-3858

Microresistivity Log

API No. 15-009-25,660-00-00

Company R J M Oil Company Inc.

Well Glenn No. 2

Field Wildcat

County Barton State Kansas

Location NW NE NW
330' FNL & 1650' FWL
Sec: 34 Twp: 18 S Rge: 11 W

Other Services
CNL/CDL
DIL/BHCS

Elevation
K.B. 1792
D.F.
G.L. 1785

Permanent Datum Ground Level Elevation 1785
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date	3/5/2012			
Run Number	Two			
Depth Driller	3420			
Depth Logger	3420			
Bottom Logged Interval	3419			
Top Log Interval	2700			
Casing Driller	8.625 @ 324			
Casing Logger	321			
Bit Size	7.875			
Type Fluid in Hole	Chemical			
Salinity,ppm CL	10,000			
Density / Viscosity	8.9 60			
pH / Fluid Loss	9.5 12.0			
Source of Sample	Flowline			
Rm @ Meas. Temp	.22 @ 48			
Rmf @ Meas. Temp	.17 @ 48			
Rmc @ Meas. Temp	.30 @ 48			
Source of Rmf / Rmc	Charts			
Rm @ BHT	.10 @ 110			
Operating Rig Time	4 1/2 Hours			
Max. Rec. Temp. F	110			
Equipment Number	17			
Location	Hays			
Recorded By	D. Martin			
Witnessed By	Jim Musgrove			

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Claflin, KS
5 S, 1/4 E, S Into

Database File:	c:\warrior\data\rjm_glenn no. 2\rjmhd.db
Dataset Pathname:	DIL/rjmstk
Presentation Format:	micro
Dataset Creation:	Mon Mar 05 11:48:58 2012
Charted by:	Depth in Feet scaled 1:240


0 Gamma Ray 150
6 Micro Log Caliper (GAPI) 16
-200 SP (mV) 0
0 Micro Inverese 1 X 1 40
0 Micro Normal 2" 40
15000 Line Weight 0
LSPD
2700
2750
2800
2850
-32
-32
-31
-31


2900
2950
3000
3050
3100
-31
-31
-31
-31
-31


3150
3200
3250
3300
-31
-31
-31
-29


3350
3400
-28
-28
0
Gamma Ray
150
6
Micro Log Caliper (GAPI)
16
-200
SP (mV)
0
0
Micro Inverese 1 X 1
40
0
Micro Normal 2"
40
15000
Line Weight
0
LSPD