



Sonic Cement Bond Log

API No.

15-159-21239-00-00

Company Daystar Petroleum, Inc.

Well Hodgson No.A-1

Field Wildcat

County Rice

State Kansas

Location

NW_SE_NE

Other Services

GRN
Perforate

Sec: 30

Twp: 18S

Rge: 06W

Elevation

Permanent Datum	Ground Level	Elevation 1642
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	

K.B.	1647
D.F.	1645
G.L.	1642

Run Number	Two
Date Survey	05/23/2023
Date Cementing	05/05/2023
Type Cementing Operation	Primary
Depth Driller	3197
Depth Logger	1196
Logged Interval	1195 to Surface
Casing Driller	4.5 @ TD
Float Collar -- D.V. Tool	////
Squeeze Depth	////
Amount & Type Cement	////
Amount & Type Admix	////
Type Fluid In Hole	Water
Fluid Level	Full
Salinity PPM CL	////
Weight lb/gal -- Vis.	////
Approx. Logged Cement Top	730
Calculated Cement Top	////
Max. Hole Temperature	////
Tool No.	RBT2-2
Spacing Recorded	3-5
Equipment -- Location	902 Hays
Recorded By	Scott Chesney
Witnessed By	Butch Drylie

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech




Geneseo, E to 25th Rd, 5.25S stay on Blktop,
W into


Main Pass




Database File daystar-hodgson-a1.db													
Dataset Pathname grscbl/pass5.1													
Presentation Format scbl18													
Dataset Creation Tue May 23 10:36:12 2023													
Charted by Depth in Feet scaled 1:240													
0	Gamma Ray (GAPI)	150	Amplitude		0	AMPAVG	150	200	VDL (usec)	1200	1	Sector Map	8
0	LTEN (lb)	1800	0	(mV)	100	0	AMPMAX	150					
150	GR (GAPI)	300	Amplified Amplitude		0	AMPMIN	150						
			0	(mV)	20	25	CCL	-4					

















Repeat Section

Database File	daystar-hodgson-a1.db				
Dataset Pathname	grscbl/pass4.1				
Presentation Format	scbl18				
Dataset Creation	Tue May 23 10:21:11 2023				
Charted by	Depth in Feet scaled 1:240				
Gamma Ray (GAPI)	150	Amplitude	0	AMP AVG	150
					VDL (usec)
					1200
					1
					Sector Map
					8

0	(mV)	100	0	AMP MAX	150
Amplified Amplitude	0	AMP MIN	150		
0	(mV)	20	8	CCL	-1.5



0	LTEN (lb)	1800
150	GR (GAP I)	300



[illegible]