

Company		JOHN O. FARMER, INC.	
Well		FINNEY #3	
Field		RAINBOW RIDGE	
County		LYON	
State		KANSAS	
Location:		AP1 # : 15-111-20571-0000	
Permanent Datum		GROUND LEVEL	
Log Measured From		KELLY BUSHING 12' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 6 TWP 17S RGE 10E		330' FNL & 2235' FWL	
Elevation		1308'	
Date		AUG. 27, 2024	
Run Number		ONE	
Depth Driller		3160'	
Depth Logger		3112'	
Bottom Logged Interval		3111	
Top Log Interval		1500'	
Open Hole Size		///	
Type Fluid		WATER	
Density / Viscosity		///	
Max. Recorded Temp.		107F	
Estimated Cement Top		1640'	
Time Well Ready		///	
Time Logger on Bottom		///	
Equipment Number		PT-09	
Location		HAYS	
Recorded By		BOB KLAUS	
Witnessed By		VAL DREHER	
Borehole Record		Tubing Record	
Run Number	Bit	From	To
ONE	12.25"	0	260'
TWO	7.875"	260'	3160'
Casing Record	Size	Wgt/Ft	Top
Surface String	8 5/8"		0
Prot. String			
Production String	5 1/2"	14#	0
Liner			3159'

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING
PERF-TECH WIRELINE SERVICES, INC.
785-628-3969

DIRECTIONS: BUSHONG, Ks.
SOUTH to 310 Rd,
4 1/2 WEST, SOUTH into

Database File: aug272409.db
Dataset Pathname: pass2
Presentation Format: 3x5
Dataset Creation: Tue Aug 27 08:56:43 2024 by Log Std Casedhole 06040
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100	200	5' Variable Density	1100
			475	3' TRAVEL TIME (usec)	235			
			9	Collar Locator	-1			








1700

1750

1800

1850







1900


1950

2000

2050

2100








2150

2200

2250

2300







2350




2400


2450

2500

2550









2800


2850

2900

2950

4 SPF





Perf-Tech
Wireline Services, Inc.

REPEAT SECTION

Database File: aug272409.db
Dataset Pathname: pass1
Presentation Format: 3x5
Dataset Creation: Tue Aug 27 08:50:12 2024 by Log Std Casedhole 06040
Charted by: Depth in Feet scaled 1:240

