WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

WATER WELL REC	ORD (W	WC-5)				KOLAR	DOC ID		WELL ID_			
OCATION OF WATER WELI	_					Original Reco	rd Co	rrection	Chang	e in Wel	ll Use	
Latitude	Longitude		9	Section	Township	Range	E	Fraction	1/4	1/4	1/4	
Datum	Elevation		(County	,							
VATER WELL OWNER			WELL V	VATER USE	 E		NEAREST	SOURCE OF I	POTENTIAL C	ONTAMIN	IOITAI	
Name							Source:					
Business			COMPL	ETION			Dietance		Directio	n		
Dusiness							from well	l:	_ from we	ll:		
Address					ted well:		Source description					
			1 -	-	water encountered: (2) ft.;							
Well location					(2) it.; (4) dry well							
			-				Distance from well	:	Directio from we	n ll:		
at owner's address			me	asured belo	in well: f	t.	Source description					
ONSTRUCTION	D 1 1 1	,	me		ve land surface			tential sourc	e of contami	nation		
Borehole interval:	Borehole dia			(mm/dd/y			PERMIT &	ID NUMBER	S (AS REQU	IRED)		
fromto ft.		in.			gpm							
fromtoftin.			Water	Water level was:ft. afterhours				DWR Application No.:				
Casing height above land surface:in.			pumpinggpm				KDHE / EPA Project Code: Site Name:					
If casing height is less that		NI-	Pump	installed?	Yes No						No	
has a variance been approved?* Yes No *variance not required for monitoring			Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:							1		# of dewate			
Blank casing interval:	ft. to	ft.	Aquife	r, if known	1:		" of bores		# Of dewate	ing wens.		
Blank casing diameter:			LITHOL	OGIC LOG	i							
Casing joints:			FROM	1 то	LITHOLOGY	NTERVALS						
Weight:lbs												
Wall thickness or gauge 1		I										
Blank casing interval:		ft.										
Blank casing diameter:												
Casing joints:												
Weight:lbs												
Wall thickness or gauge 1	10.:											
Grout interval: ft. to	ft.											
Grout material:												
Grout interval: ft. to	ft.		501414	FNITC								
Grout material:			COMM	ENIS								
Screen / perforation material:												
Screen / perforation opening	gs:		CONTR	ACTOR'S	OR LANDOWNERS	S CERTIFICATION	I					
Screen / perforation intervals	:		This v	vater well	was constructed	d reconstru	ucted	pursuant to	the stated v	vater well		
Fromft. to	_ft.		contra	actor's lice	ense and was com	npleted on		I certify that	at this recor	d is true	to	
Slot size unit _			the be	est of my l	knowledge and be	elief. This water	well record	was comple	ted on			
From ft. to				-	ness name of			_				
Slot size unit _					Vell Contractor's							
Gravel pack intervals:									-	_		
Gravel pack not used:		in	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:									
From ft. to											,	
Gravel pack not used	Craval ciza	•	Send on	e copy to V	VATER WELL OW:	NEK and retain or	ne for your red	oras. Fee of §	5.00 for each	constructe	ed we	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1776491			
Well Owner	KDHE-BER			
Contractor	Environmental Priority Service, Inc.			

Lithology

From	То	Lithology Intervals
0	.5	other,concrete
.5	6	clay,dark,brown,moist,firm
6	10	clay,gravelly,grayish,brown,moist,soft,mottled
10	12	clay,sandy,light,grayish,brown,dry,hard,caliche
12	15	clay,grayish,brown,slightly moist,firm
15	18	clay,silty,yellowish,brown,wet,f
18	22	clay,silty,yellowish,brown,satu rated,firm

