

## WATER WELL RECORD (WWC-5)

KOLAR DOC ID \_\_\_\_\_ WELL ID \_\_\_\_\_  
 Original Record Correction Change in Well Use

## LOCATION OF WATER WELL

Latitude		Longitude		Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum		Elevation		County									

## WATER WELL OWNER

Name	
Business	
Address	
Well location at owner's address	

## CONSTRUCTION

Borehole interval: from _____ to _____ ft.	Borehole diameter: _____ in.
from _____ to _____ ft.	_____ in.
Casing height above land surface: _____ in.	
If casing height is less than 12 in. has a variance been approved?* Yes No	
*variance not required for monitoring or environmental remediation wells	
Casing type: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Blank casing interval: _____ ft. to _____ ft.	
Blank casing diameter: _____ in.	
Casing joints: _____	
Weight: _____ lbs/ft.	
Wall thickness or gauge no.: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Grout interval: _____ ft. to _____ ft.	
Grout material: _____	
Screen / perforation material: _____	
Screen / perforation openings: _____	
Screen / perforation intervals: From _____ ft. to _____ ft. Slot size _____ unit _____	
From _____ ft. to _____ ft. Slot size _____ unit _____	
Gravel pack intervals: Gravel pack not used: Gravel size _____ in From _____ ft. to _____ ft.	
Gravel pack not used: Gravel size _____ in From _____ ft. to _____ ft.	

## WELL WATER USE

COMPLETION	
Depth of completed well: _____ ft.	
Depth(s) groundwater encountered: (1) _____ ft.; (2) _____ ft.; (3) _____ ft.; (4) dry well	
Static water level in well: _____ ft. measured below land surface on (mm/dd/yy): _____	
measured above land surface on (mm/dd/yy): _____	
Estimated yield: _____ gpm	
Water level was: _____ ft. after _____ hours pumping _____ gpm	
Pump installed? Yes No	
Water well disinfected? Yes No	
Date disinfected (mm/dd/yy): _____	
Aquifer, if known: _____	

## NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____	
Distance from well: _____	Direction from well: _____
Source description: _____	
Source: _____	
Distance from well: _____	Direction from well: _____
Source description: _____	
No potential source of contamination within 100 feet.	

## PERMIT &amp; ID NUMBERS (AS REQUIRED)

DWR Application No.: _____
KDHE / EPA Project Code: _____
Site Name: _____
KDHE UIC Class V Form Completed: Yes No
County Permit: Yes No Permit ID: _____
Lease Name & Well #: _____
# of boreholes: _____ # of dewatering wells: _____

## LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS

## COMMENTS

_____
-------

## CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed/reconstructed pursuant to the stated water well contractor's license and was completed on \_\_\_\_\_. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on \_\_\_\_\_ under the business name of \_\_\_\_\_, Kansas Water Well Contractor's License No. \_\_\_\_\_ under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: \_\_\_\_\_.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

## KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367  
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1859451
Well Owner	Tasha Zarda
Contractor	Matty Yoakum-Yoakum Well Drilling & Pump Co

Casing

From	To	Casing Diameter	Casing Joint	Casing Weight	Wall Thickness or Gauge Number
0	40	6	Glued		SCH 40
60	120	6	Glued		SCH 40
165	170	6	Glued		SCH 40

Form	WWC5.2 - Water Well Record
Doc ID	1859451
Well Owner	Tasha Zarda
Contractor	Matty Yoakum-Yoakum Well Drilling & Pump Co

### Lithology

From	To	Lithology Intervals
0	6	topsoil
6	18	clay,tan
18	44	sand,medium to coarse,slightly moist
44	55	gravel,coarse,gravelly,saturated
55	85	limestone,unweathered
85	124	shale,unweathered,sandy
124	162	sandstone,unweathered,sandy,gray
162	170	limestone,unweathered,very hard