\_ WELL ID\_

KOLAR DOC ID

## **WATER WELL RECORD** (WWC-5)

LOCATION OF WATER WEL	L				(	Original I	Recor	d Cor	rection	Change	e in Wel	l Use	
Latitude	Longitude		Section	ı	Township	R	ange	E W	Fraction	1/4	1/4	1/4	
Datum	Elevation		Count	y	_			**					
WATER WELL OWNER		W	/ELL WATER	USE				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	ATION	
Name								Source:			-		
Business			OMPLETIO	\.I				Distance		Direction	1		
Dusiness								from well:		from wel	l:		
Address			Depth of completed well:ft.					Source					
					rater encountered:			description					
Well location					2) ft.;								
wen location					4) dry well			Distance from well:		Direction from wel	ı l:		
at owner's			Static water level in well: ft.					Source					
address			measured below land surface on (mm/dd/yy):					description:					
CONSTRUCTION							_			ce of contami	nation		
Borehole interval:	Borehole dia	meter:	measured above land surface on (mm/dd/yy):					within 100 feet.					
from to ft.		in.	Ectimated vi	ماط.	gpm			PERMIT &	ID NUMBE	RS (AS REQUI	RED)		
fromtoft.					gpm ft. after	houre		DWR Apr	olication No	v.:			
				vas						 Code:			
Casing height above land surface:in.						8F***							
If casing height is less than 12 in. has a variance been approved?* Yes No			Pump installed? Yes No					KDHE UIC Class V Form Completed: Yes No					
*variance not required for monitoring			Water well disinfected? Yes No					County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):				_	Lease Name & Well #:					
Casing type:	G. 4-		Aquifer, if kı	own.				# of boreh	oles:	# of dewater	ing wells:		
Blank casing diameter:			THOLOGIC										
Casing joints:			FROM	TO	LITHOLOGY IN	ITEDVALC							
Weight:lbs		—   <del> </del>	rkom	10	LITTIOLOGI IN	TILNVALS							
Wall thickness or gauge													
Blank casing interval:													
Blank casing diameter:													
Casing joints:													
Weight: lbs													
Wall thickness or gauge	no.:	_											
Grout interval: ft. to	. 6												
Grout material: it. to													
Grout interval: ft. to													
Grout material:		C	OMMENTS										
Grout material.													
Screen / perforation material	l:												
Screen / perforation opening			ONTRACTO	R'S O	R LANDOWNERS	CERTIFICA	ATION						
Screen / perforation intervals					vas constructed				oursuant to	the stated w	ater well		
Fromft. to					nse and was comp			•					
Slot size unit					-				•				
From ft. to				•	nowledge and bel				•				
Slot size unit					ess name of								
Gravel pack intervals:					'ell Contractor's L					-	-		
Gravel pack not used:	Gravel size	in			d in K.A.R. 28-30		signe	d and certifi	ied by the	electronic sig	nature o	the	
From ft. to			designated	perso	on at its submittal	1:			·				
Gravel pack not used:	Gravel size	in Se	end one copy	to W	ATER WELL OWN			•			constructe	d well.	
From ft. to	ft.		Bu	reau o	KANSAS DEI of Water, Geology S (78)	Section, 100	0 SW J		uite 420, To		-1367		

Form	WWC5.2 - Water Well Record		
Doc ID	1864147		
Well Owner	Midland Marketing Co-Op		
Contractor	GeoCore, LLC		

## Lithology

From	То	Lithology Intervals
0	1	topsoil, with roots
1	8	clay-lean,brown,moist,firm
8	12	clay-fat,brown,moist,firm
12	22	clay-lean,brown,moist,firm
22	24	clay-fat,brown,moist,firm
24	29.5	clay-lean,brown,wet,soft
29.5	30	sand,fine to medium,light,brown,wet,soft
30	35	sand,fine to coarse,brown,wet,soft,tr. gravel

