

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 32639
Name: CORAL PRODUCTION CORP.
Address: 1600 STOUT ST, SUITE 1500
City/State/Zip: DENVER, CO 80202
Purchaser: N.C.R.A.
Operator Contact Person: JIM WEBER
Phone: (303) 623-3573
Contractor: Name: MURFIN DRILLING CO., INC.
License: 30606
Wellsite Geologist: KEVIN DAVIS
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
10/24/05 10/29/05 12/8/05
Spud Date or 2006 Date Reached TD Completion Date or
Recompletion Date Recompletion Date


API No. 15 - 051-25466-00-00
County: ELLIS
C S/2 NE Sec. 25 Twp. 13 S. R. 17 East West
1980 feet from S (N) (circle one) Line of Section
1250 feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) (NE) SE NW SW
Lease Name: ALBIN Well #: 1
Field Name: WILDCAT
Producing Formation: LANSING
Elevation: Ground: 1986' Kelly Bushing: 1991'
Total Depth: 3590' Plug Back Total Depth: 3562.7'
Amount of Surface Pipe Set and Cemented at 209 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1176 Feet
If Alternate II completion, cement circulated from 1176
feet depth to SURFACE w/ 180 sx cm.
ATP 2 - Dig - 10/14/08

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content 16,000 ppm Fluid volume 160 bbls
Dewatering method used ALLOW TO DRY AND BACKFILL
Location of fluid disposal if hauled offsite: _____
Operator Name: _____ License No.: _____
Lease Name: _____
Quarter _____ Sec. _____ Twp. JAN 12 2006 East West
County: _____ Docket No. KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: J. R. Weber
Title: PRESIDENT Date: 1/9/06
Subscribed and sworn to before me this 9 day of _____
20 06
Notary Public: Stacy R. Spry
Date Commission Expires: 2/1/2009



KCC Office Use ONLY
NO Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

X

Operator Name: CORAL PRODUCTION CORP. Lease Name: ALBIN Well #: 1
 Sec. 25 Twp. 13 S. R. 17 East West County: ELLIS

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: DUAL INDUCTION LOG 3586'-0' COMP. DENSITY/NEUTRON LOG 3564'-2800' MICRO LOG 3565'-2800' SONIC LOG: 3575'-150'	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>HEEBNER</td> <td>3212'</td> <td>-1221'</td> </tr> <tr> <td>TORONTO</td> <td>3232'</td> <td>-1241'</td> </tr> <tr> <td>LANSING</td> <td>3261'</td> <td>-1270'</td> </tr> <tr> <td>BKC</td> <td>3487'</td> <td>-1496'</td> </tr> <tr> <td>ARBUCKLE</td> <td>3516'</td> <td>-1525'</td> </tr> </table>	Name	Top	Datum	HEEBNER	3212'	-1221'	TORONTO	3232'	-1241'	LANSING	3261'	-1270'	BKC	3487'	-1496'	ARBUCKLE	3516'	-1525'
Name	Top	Datum																	
HEEBNER	3212'	-1221'																	
TORONTO	3232'	-1241'																	
LANSING	3261'	-1270'																	
BKC	3487'	-1496'																	
ARBUCKLE	3516'	-1525'																	

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4"	8 5/8"	23	209'	COMMON	160	3% CC, 2% GEL
PRODUCTION	7 7/8"	5 1/2"	14	3562'	ASC	150	2% GEL, 500 GAL WFR-2

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	0-1172'	COMM	180	6% GEL, 1/4#/SK FLOSEAL

RECEIVED
 JAN 12 2006
 KCC WICHITA

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
2	3235'-3238' (TORONTO)	500 GAL 15% MUD ACID; 1500 GAL 20% MUD ACID	3238'	
2	3262'-3266' (A)	250 GAL 15% MUD ACID; 750 GAL 20% NEHCL	3266'	
2	3286'-3289' (C)	250 GAL 15% MUD ACID; 750 GAL 20% NEHCL	3289'	
2	3416'-3419' (I)	COMBINED "I & J" ZONES: 500 GAL 15% MUD ACID;		
2	3434'-3439' (J)	2500 GAL 20% NEHCL; 1500 GAL 20% HCL;	3439'	

TUBING RECORD	Size <u>2 7/8"</u>	Set At <u>3532'</u>	Packer At
Liner Run			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr. <u>12/23/05</u>	Producing Method
	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	<u>25</u>		<u>85</u>		

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled _____
(If vented, Submit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO., INC. 23522

Federal Tax I.D.#

MIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>12-6-05</u>	SEC <u>2 S</u>	TWP. <u>13</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION <u>8:30am</u>	JOB START <u>9:30am</u>	JOB FINISH <u>10:30am</u>
LEASE <u>Alb</u>	WELL# <u>1</u>	LOCATION <u>Victoria T1-70 13 N 16 W</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>	
<input checked="" type="radio"/> OLD OR <input type="radio"/> NEW (Circle one)		Sinto					

CONTRACTOR Maine Well Service
 TYPE OF JOB Port Collar
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2" DEPTH _____
 TUBING SIZE 2 3/4" DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH 1172'
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT 5 3/8 Bbl

EQUIPMENT

PUMP TRUCK CEMENTER Steve
 # 3166 HELPER Craig
 BULK TRUCK
 # 3916 DRIVER Doug
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

Pressure casing to 600psi
Open tool & bleed circulation
Mix 180 sks Cement circulated
Close tool & Pressure to 600psi
Run 10 joints & wash around

Thank You

CHARGE TO: Coral
 STREET _____
 CITY _____ STATE _____ ZIP _____

OWNER _____
 CEMENT Used 180sks
 AMOUNT ORDERED 350 sks 60/40 600ml
1/2 Flo Seal

COMMON	<u>108</u>	@	<u>870</u>	<u>93960</u>
POZMIX	<u>72</u>	@	<u>470</u>	<u>33840</u>
GEL	<u>9</u>	@	<u>1400</u>	<u>12600</u>
CHLORIDE		@		
ASC		@		
<u>Flo Seal</u>	<u>45#</u>	@	<u>170</u>	<u>7650</u>

RECEIVED

JAN 12 2006

KCC WICHITA

HANDLING	<u>368</u>	@	<u>160</u>	<u>58880</u>
MILEAGE	<u>64/sk/mile</u>			<u>3974</u>
TOTAL				<u>246674</u>

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>78500</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>18</u>	@	<u>500</u>	<u>9000</u>
MANIFOLD		@		
TOTAL				<u>87500</u>

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Joe Borla Jr

Joe Borla
 PRINTED NAME

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

ALLIED CEMENTING CO., INC. 25777

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>10/24/05</u>	SEC. <u>25</u>	TWP. <u>13</u>	RANGE <u>17</u>	CALLED OUT <u>4:30 pm</u>	ON LOCATION <u>5:30 pm</u>	JOB START <u>6:30</u>	JOB FINISH <u>6:45 pm</u>
LEASE <u>Albin</u>	WELL # <u>1</u>	LOCATION <u>Victoria 8 1/2 N</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one) <u>NEW</u>			<u>1/8 W Sinto</u>				

CONTRACTOR Murkin #8 Drilling
 TYPE OF JOB Surface Job
 HOLE SIZE 10 1/4 T.D. 209
 CASING SIZE 8 5/8 23' DEPTH 209
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. 15'
 PERFS. _____
 DISPLACEMENT 12.3

OWNER _____
 CEMENT AMOUNT ORDERED 160 Con 3% CC
2% Gel

EQUIPMENT
 PUMP TRUCK CEMENTER Shane
 # 366 HELPER Fred
 BULK TRUCK
 # 212 DRIVER Gary
 BULK TRUCK
 # _____ DRIVER _____

COMMON	<u>160</u>	@	<u>8.70</u>	<u>1392.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>14.00</u>	<u>42.00</u>
CHLORIDE	<u>5</u>	@	<u>38.00</u>	<u>190.00</u>
ASC	RECEIVED	@		
	<u>OCT 29 2005</u>	@		
	<u>CORAL PRODUCTION CORP.</u>	@		
		@		
		@		
		@		
HANDLING	<u>168</u>	@	<u>1.60</u>	<u>268.80</u>
MILEAGE	<u>64 1/2 / mile</u>			<u>201.60</u>
TOTAL				<u>2,094.40</u>

REMARKS:

Cement Circ

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>670.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>20</u>	@	<u>5.00</u> <u>100.00</u>
MANIFOLD		@	
		@	
		@	
TOTAL <u>770.00</u>			

CHARGE TO: Coral Production Corporation
 STREET _____
 CITY _____ STATE _____ ZIP _____

RECEIVED
 JAN 12 2006
 KCS WICHITA
 PLUG & FLOAT EQUIPMENT

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

		@	
<u>8 1/2 Wood Ply</u>		@	<u>55.00</u>
		@	
		@	
TOTAL <u>55.00</u>			

Thanks!
 SIGNATURE Larry Pickner

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS
LARRY PICKNER

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

RECEIVED

NOV 05 2005

CORAL PRODUCTION CORP.

ALLIED CEMENTING CO., INC. 25677

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>10-30-05</u>	SEC. <u>25</u>	TWP. <u>13</u>	RANGE <u>17^W</u>	CALLED OUT	ON LOCATION <u>12:45pm</u>	JOB START <u>2:15pm</u>	JOB FINISH <u>3:00pm</u>
LEASE <u>ALBTL</u>		WELL # <u>1</u>	LOCATION <u>VECTORIA E 2-70 1/2 W</u>			COUNTY <u>ELLIS</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)			<u>1/4 W SILL</u>				

CONTRACTOR MURPHY 8

TYPE OF JOB PRODUCTION STRING

HOLE SIZE 7 7/8 T.D. 3590

CASING SIZE 5 1/2 DEPTH 3562⁷⁰

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 28.25

CEMENT LEFT IN CSG. 28.25

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED 150 ASC 290 GEL
500 GAL WFR-2

COMMON	@		
POZMIX	@		
GEL	<u>3</u>	@ <u>14.00</u>	<u>42.00</u>
CHLORIDE	@		
ASC	<u>150</u>	@ <u>10.75</u>	<u>1,612.50</u>
<u>500 GAL WFR-2</u>	@ <u>1.00</u>		<u>500.00</u>

HANDLING	<u>153</u>	@ <u>1.60</u>	<u>244.80</u>
MILEAGE	<u>64 / 54/mile</u>		<u>183.60</u>
TOTAL			<u>2,582.90</u>

EQUIPMENT

PUMP TRUCK CEMENTER MARK

366 HELPER FRED

BULK TRUCK

213 DRIVER BRIAN

BULK TRUCK

_____ DRIVER _____

REMARKS:

D. COLLAR 1176 JT # 65

15 SK C RH.

10 SK C MH.

PLUG LANDED @ 1300'

FLOAT HELD

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>1,320.00</u>
EXTRA FOOTAGE	@		
MILEAGE	<u>20</u>	@ <u>5.00</u>	<u>100.00</u>
MANIFOLD	@		

TOTAL 1,420.00

CHARGE TO: CORAL PROD

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>5/2 TRP</u>			<u>60.00</u>
<u>GUIDE SHOE</u>	@		<u>160.00</u>
<u>INSERT</u>	@		<u>235.00</u>
<u>6-CENT</u>	@ <u>50.00</u>		<u>300.00</u>
<u>BASKET</u>	@		<u>140.00</u>
<u>(3) PORT COLLAR</u>	@		<u>1,750.00</u>

TOTAL 2,645.00

FAX
10-31/05

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Joe Borla

Joe Borla
PRINTED NAME